

CHECK LIST DATA BASE IN FUNGI OF TAMIL NADU

Sl.N Class	Order	Family Name	Binomial Name	Distribution
1 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Acrophragmis coronata</i>	On unidentified leaf litter from Shervarayan hills
2 Agaricomycetes	Agaricales	Agaricaceae	<i>Agaricus croceolutescens</i>	On soil, solitary, near Shervarayan temple peak, Yercaud, Salem district, Tamil Nadu
3 Agaricomycetes	Agaricales	Agaricaceae	<i>Agaricus heterocystis</i>	Collected at the Guindy Campus, University of Madras, Chennai.
4 Agaricomycetes	Agaricales	Strophariaceae	<i>Agrocybe wayanadensis</i>	On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu
5 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Amerosporiopsis gaubae</i>	on dead leaflets of <i>Peltophorum ferrugineum</i> Benth., Tamilnadu
6 Leotiomycetes	Helotiales	Dermateaceae	<i>Amerosporium concinnum</i>	On dead leaves of <i>Prunus avium</i> L., Kodaikanal, Tamilnadu
7 Agaricomycetes	Agaricales	Cortinariaceae	<i>Anamika indica</i>	On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu
8 Dothideomycetes	Botryosphaerales	Botryosphaeriaceae	<i>Aplosporaella beaumontiana</i>	On twigs and bark of several unidentified host plants Tamilnadu
9 Euascomycetes	Sordariales	Lasiosphaeriaceae	<i>Arthrinium euphorbiae</i>	On leaf litter of <i>Neolitsea scrobiculata</i> , <i>Persea mehrantha</i> and unidentified leaf litter from Kol
10 Dothideomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Ascochyta avenae</i>	On dead twigs of <i>Cynodon dactylon</i> L., Courtallam, Tamilnadu
11 Dothideomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Ascochyta festucae</i>	On dead leaflets of <i>Phoenix sylvestris</i> Roxb. Madras. Tamilnadu
12 Dothideomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Ascochyta phaseolorum</i>	On dead fruits of <i>Pongamia glabra</i> vent. Madras, Tamilnadu
13 Dothideomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Ascochyta pisi</i>	On dead twigs of <i>Phaseous vulgaris</i> collected from Madras, Tamilnadu
14 Dothideomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Ascochyta sorghi</i>	On dead leaves of <i>Sorghum bicolor</i> moench., Courtallam, Tamilnadu, Jul.1989
15 Sordariomycetes	Diaporthales	Valsaceae	<i>Asteroma psidi</i>	On litter of <i>Pracaena terminalis</i> W., Madra, Tamilnadu
16 Ascomycetes	Xylariales	Amphisphaeriaceae	<i>Beltraniella pirozynskii</i>	On leaf litter of <i>Neolitsea scrobiculata</i> from kolli hills
17 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Blastocatena pulneyensis</i>	On unidentified decaying twigs from Kodaikanal, Tamil Nadu
18 Ascomycetes	Incertae sedis	<i>Incertae sedis</i>	<i>Botryodiplodia theobromae</i>	On dead leaves of <i>Polygonum</i> sp., <i>Cupressus</i> sp., and <i>Rhododendron arboreum</i> sm., Kodaikanal
19 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Brachysporiellina pulneyensis</i>	On unidentified dead twig from Kodaikanal, Tamil Nadu
20 Dothideomycetes	Pleosporales	<i>Incertae sedis</i>	<i>Camaroporellum nervisequum</i>	On dead twigs of <i>Magnolia</i> sp., Kodaikanal
21 Dothideomycetes	Pleosporales	<i>Incertae sedis</i>	<i>Camarosporium quaternnatum</i>	On dead twigs of <i>Acacia decurrens</i> Willd., Koadaikanal, Tamilnadu
22 Dothideomycetes	Pleosporales	<i>Incertae sedis</i>	<i>Camposporium antennatum</i>	On leaf litter of <i>Neolitsea scrobiculata</i> and unidentified leaf litter from Kolli hills
23 Ascomycetes	Sordariales	Lasiosphaeriaceae	<i>Catenularia kalakadensis</i>	On unidentified decaying twigs from Kalakkad, Tamil Nadu
24 Sordariomycetes	Hypocreales	Pezizaceae-anamorphic	<i>Ceratosporella deviata</i>	On leaves of <i>Raphilostyles sapida</i> , Government Garden, Ootacamund. On leaf litter of <i>Persea</i> r
25 Sordariomycetes	Hypocreales	Pezizaceae	<i>Ceratosporella pulneyensis</i>	On unidentified dead twig from Kodaikanal, Tamil Nadu
26 Sordariomycetes	Sordariales	Helminthosphaeriaceae	<i>Ceratosporium fuscescens</i>	On unidentified lea litter from Yelagiri hills
27 Leotiomycetes	Helotiales	Phaciidaeae	<i>Ceuthospora lauri</i>	On dead leaves of <i>Prunus avium</i> L., Kodaikanal, Tamilnadu, Nov.1987, collected by J.Muthun
28 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Chaetodiplodia</i> sp	On dead wigs of unidentified plants Kambakkam, Chennai, Nov.1987,
29 Ascomycetes	Helotiales	Hyaloscypheaceae	<i>Chaetochalara africana</i>	On leaf litter of <i>Neolitsea scrobiculata</i> and unidentified leaf litter from Kolli hills and
30 Sordariomycetes	Sordariales	Annulatasaceae	<i>Chaetoconis polygeni</i>	On dead twigs of <i>Flacourtie indica</i> , Kodaikanal, Tamilnadu, 1987, collected
31 Leotiomycetes	Helotiales	<i>Incertae sedis</i>	<i>Chaetomella acutiseta</i>	On dead leaves of <i>Pyrus communis</i> L., Nilgiris, Tamilnadu, Feb.1988, collected
32 Leotiomycetes	Helotiales	<i>Incertae sedis</i>	<i>Chaetomella raphigera</i>	On dead leaves of several host plants and soil, Tamilnadu.Jul.1988.collected by J.
33 Coelomycetes	<i>Incertae sedis</i>	Chaetopatellaceae	<i>Chaetopatella indica</i>	On culture of <i>Bambusa</i> sp., Kambakkam, Tamilnadu, Jul.1988, collected by J.
34 Sordariomycetes	Hypocreales	Nectriaceae	<i>Chaetopsina fulva</i>	On leaf litter of <i>Persea mehrantha</i> and <i>Neolitsea scrobiculata</i> from Kolli hills; on unidentified leaf litter from Shervarayan
35 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Chlamydomyces palmarum</i>	On leaf litter of <i>Neolitsea scrobiculata</i> from Kolli hills; on unidentified leaf litter from Thebroma cacao L., Madras, Tamilnadu, Jan.1988: on dead leaves of <i>Psidium guajava</i> L., <i>Mangifera indica</i> L., <i>Dodonea viscosa</i> L.,
36 Ascomycetes	<i>Incertae sedis</i>	<i>Incertae sedis</i>	<i>Ciliochorella mangiferae</i>	

37	Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Circinotrichum fertile</i>	On leaf litter of <i>Persea mechrantha</i> and <i>Neolitsea scrobiculata</i> from Kolli hills; on unidentified leaf litter from Shervarayan Collected at Kolli Hills , Tamilnadu
38	Agaricomycetes	Agaricales	Agaricaceae	<i>Clarkeinda trachodes</i>	On unidentified leaf litter from Shervarayan hills, Pacchaimalai hills and On unidentified leaf litter from Kolli hills and Jawadi hills. Collected by T.
39	Sordariomycetes	Chaetosphaeriales	Chaetosphaeriaceae	<i>Codinaea assamica</i>	On dead leaves of <i>Litsea wightiana</i> (Lauraceae), Bombay shoal, Kodaikanal
40	Sordariomycetes	Chaetosphaeriales	Chaetosphaeriaceae	<i>Codinaea fertilis</i>	On litter of <i>Ilex wightiana</i> , Kodaikanal, Tamilnadu, Nov.1987, collected by
41	Dothideomycetes	Dothideales	Dothideaceae	<i>Coleophoma crateriformis</i>	On dead leaves of <i>Yucca gloriosa L.</i> , Kodaikanal, Tamilnadu, Nov, 1987,
42	Dothideomycetes	Dothideales	Dothideaceae	<i>Coleophoma cylindrospora</i>	On dead leaves of <i>Feronia elephantum</i> , Kambakkam, Tamilnadu, collected by
43	Dothideomycetes	Dothideales	Dothideaceae	<i>Coleophoma empetri</i>	On leaves, dead twigs and pods of <i>Dalbergia sissoo</i> , Vandalur zoo. 1990,
44	Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Colletogloeum feroniae</i>	On dead leaf of <i>Capsicum annum</i> , collected by J.A.Jayachandra, Dec.
45	Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Colletogloeum sissoo</i>	On dead leaves of <i>Pongamia glabra</i> Vent., Madras, Tamilnadu, Nov.1988: on dead twigs of <i>Bambusa arundinacea</i> Wild.
46	Sordariomycetes	Glomerellales	Glomerellaceae	<i>Collectotrichum capsici</i>	On litter of <i>Elacocarpus sp.</i> , Bombay Shola, Kodaikanal,(altitude 2400M)
47	Sordariomycetes	Glomerellales	Glomerellaceae	<i>Collectotrichum lindemuthianum</i>	On dead leaves of <i>Eucalyptus globules</i> Labill. Collected from Bryant park,
48	Sordariomycetes	Diaporthales	Melanconidaceae	<i>Coniella castaneicola</i>	On dead leaves of <i>Magifera indica L.</i> , Theosophical society, Madras, Tamilnadu,
49	Sordariomycetes	Diaporthales	Melanconidaceae	<i>Coniella fragariae</i>	On dead leaves of unidentified palm, Kambakkam, Tamilnadu, India, Jul, 1988,
50	Dothideomycetes	Pleosporales	Leptosphaeriaceae	<i>Coniothyrium fuckelii</i>	On fallen twigs of <i>Quercus alba</i> , Bryant park, Kodaikanal, Tamilnadu, December
51	Dothideomycetes	Pleosporales	Leptosphaeriaceae	<i>Coniothyrium palmarum</i>	On soil in Ponkuzhy, Nilgiri Biosphere
52	Leotiomycetes	Rhytismatales	Rhytismataceae	<i>Conostroma quercicola</i>	On soil in Ponkuzhy, Nilgiri Biosphere
53	Agaricomycetes	Agaricales	Cortinariaceae	<i>Cortinarius conopileus</i>	On soil in Ponkuzhy, Nilgiri Biosphere
54	Agaricomycetes	Agaricales	Cortinariaceae	<i>Cortinarius keralensis</i>	On soil in Ponkuzhy, Nilgiri Biosphere
55	Agaricomycetes	Agaricales	Cortinariaceae	<i>Cortinarius phlegmophorus</i>	On soil in Ponkuzhy, Nilgiri Biosphere
56	Agaricomycetes	Agaricales	Cortinariaceae	<i>Cortinarius pseudosalor</i>	On soil in Ponkuzhy, Nilgiri Biosphere
57	Sordariomycetes	Diaporthales	Melanconidaceae	<i>Coryneum indicum</i>	On dead twigs of <i>Quereus sp.</i> , Kodaikanal, Tamilnadu, Nov.1987,
58	Sordariomycetes	Diaporthales	Melanconidaceae	<i>Coryneum modonium</i>	On dead twigs of <i>Ficus bengalensis</i> Theosophical society, Adayar, Tamilnadu, April 1980. Herb. MUBL NO.2916:
59	Sordariomycetes	Diaporthales	Melanconidaceae	<i>Coryneum quercinum</i>	On fallen twigs of <i>Quereus alba</i> , Kodaikanal, Tamilnadu, Jan. 1986, J.
60	Sordariomycetes	Sordariales	Chaetosphaeriaceae	<i>Craspedodidymum pulneyensis</i>	On unidentified dead twig from Yelagiri hills. Collected by T. Saravanan and Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India.
61	Ascomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Cryptophiale apicalis</i>	Kavaka. 35: 21-44. On leaf litter of <i>Neolitsea scrobiculata</i> and unidentified
62	Ascomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Cryptophiale secunda</i>	

63 Ascomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Cryptophiale udagawae</i>	On leaf litter of <i>Persea mechnertha</i> and <i>Neolitsea scrobiculata</i> from Kolli hills; on unidentified leaf litter from Shervarayan
64 Leotiomycetes	Helotiales	Dermateaceae	<i>Cryptosporiopsis malicorticis</i>	On fresh leaves of <i>Plumeria obtuse</i> (Apocynaceae), Theosophical
65 Ascomycetes	<i>Incertae sedis</i>	<i>Incertae sedis</i>	<i>Cylindrogloeum trilli</i>	On dead leaves of <i>citrus lemonium</i> L., Madras, on Mar.1989, collected by
66 Agaricomycetes	Agaricales	Agaricaceae	<i>Cystolepiota hemisclera</i>	On soil, solitary, way to Shervarayan temple peak, Yercaud, Salem district,
67 Dothideomycetes Homobasidiomycete	Pleosporales	Pleomassariaceae	<i>Dendryphiopsis incrustans</i>	On leaf litter of <i>Neolitsea scrobiculata</i> and unidentified leaf litter from Kolli hills.
68 s	Agaricomycetidae	Agaricales	<i>Descolea maculata</i>	On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by
69 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Diarimella setulosa</i>	On dead leaves of <i>Magnolia</i> sp., Nilgiris, Tamilnadu, on Feb. 1988, collected by
70 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Dictyoarthrinium sacchari</i>	On leaf litter of <i>Persea mechnertha</i> and <i>Neolitsea scrobiculata</i> from Kolli hills; on unidentified leaf litter from Shervarayan
71 Deuteromycetes	Moniliales	Dematiaceae	<i>Dictyosporium heptaspernum</i>	On unidentified leaf litter from Kolli hills.
72 Sordariomycetes	Xylariales	<i>Incertae sedis</i>	<i>Dinemasporium aberrans</i>	On dead leaves of <i>Hydrocotyle asiatica</i> L., Kodaikanal, Tamilnadu, On, Nov.1987, On leave and culms of <i>Bambusa</i> sp., <i>Cynodon dactylon</i> , Kodaikanal, Jul. 1987, collected by J. Muthumary, IC.NO.153.
73 Sordariomycetes	Xylariales	<i>Incertae sedis</i>	<i>Dinemasporium strigosum</i>	Mehrotra(1979) has recorded D. On dead leaves of <i>Ficus bengalensis</i> L., Madras, Tamilnadu, on May 1988: on dead leaves of <i>Lagerstroemia parviflora Roxb.</i> , Madras, Tamilnadu on Sep.1988, collected by J. Muthumary. IC.NO.154. On dead petiole of <i>Monstera</i> sp., Madras, Tamilnadu, on Jan., 1988; on dead petiole of <i>Carica</i> leaves L., Madras, Tamilnadu, on Apr. 1988: on dead leaves Some rare and interesting Hyphomycetes from Eastern Ghats in Tamil Nadu, India. Kavaka. 35: 21-44. On unidentified leaf
74 Dothideomycetes	Botryosphaeriales	Botryosphaeriaceae	<i>Diplodia sycina</i>	On unidentified leaf litter from Kalrayan hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve
75 Ascomycetes	<i>Incertae sedis</i>	<i>Incertae sedis</i>	<i>Discogloeum veronicae</i>	Forest, Nilgiri Biosphere Reserve, Tamil On unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T.
76 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Dwayabeeja sundara</i>	On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve
77 Dothideomycetes	<i>Incertae sedis</i>	Parmulariaceae	<i>Excipularia narsapurensis</i>	Forest, Nilgiri Biosphere Reserve, Tamil On unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T.
78 Dothideomycetes	<i>Incertae sedis</i>	Parmulariaceae	<i>Excipularia phyllantheum</i>	On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve
79 Agaricomycetes	Agaricales	Entolomataceae	<i>Entoloma nilgiriensis</i>	Forest, Nilgiri Biosphere Reserve, Tamil On unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T.
80 Agaricomycetes	Agaricales	Entolomataceae	<i>Entoloma indica</i>	On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve
81 Sordariomycetes	Hypocreales	Nectriaceae	<i>Falcocladium multivesiculatum</i>	Forest, Nilgiri Biosphere Reserve, Tamil On unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T.
82 Sordariomycetes	Sordariales	Chaetosphaeriaceae	<i>Gonytrichum macrocladum</i>	On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve
83 Dothideomycetes	Pleosporales	Tubeufiaceae	<i>Helicoma dennisii</i>	Forest, Nilgiri Biosphere Reserve, Tamil On unidentified leaf litter from Kolli hills. On unidentified leaf litter from Shervarayan hills. Collected by T.
84 Dothideomycetes	Pleosporales	Tubeufiaceae	<i>Helicomina caperoniae</i>	On unidentified leaf litter from Kolli hills. Collected by T. Saravanan and On unidentified leaf litter from Yelagiri hills and Kalrayan hills. Collected by T. On soil in Snowdon, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by On rotting wood in Thaishola Reserve

85 Dothideomycetes	Pleosporales	Tubeufiaceae	<i>Helicosporium serpentinum</i>	On unidentified leaf litter from Shervarayan hills, Jawadi hills and
86 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Helicoubisia coronate</i>	On unidentified leaf litter from Jawadi
87 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Hemibeltrania cinnamomi</i>	On leaf litter of Cinnamomum zeylanicum from Kolli hills; on unidentified leaf litter
88 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Henicospora coronate</i>	On unidentified leaf litter from Kolli hills, Pacchaimalai and Jawadi hills. Collected
89 Leotiomycetes	Helotiales	Helotiaceae	<i>Idriella lunata</i>	On unidentified leaf litter from Yelagiri
90 Agaricomycetes	Agaricales	Cortinariaceae	<i>Inocybe glabripes</i>	hills and Pacchaimalai. Collected by T.
91 Agaricomycetes	Agaricales	Cortinariaceae	<i>Inocybe neoumbrina</i>	On soil in Thaishola, Nilgiri Biosphere
92 Agaricomycetes	Agaricales	Cortinariaceae	<i>Inocybe egenula</i>	On soil in Thaishola, Nilgiri Biosphere
93 Agaricomycetes	Agaricales	Cortinariaceae	<i>Inocybe jacobii</i>	On soil in Masingudi, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K.
94 Agaricomycetes	Agaricales	Cortinariaceae	<i>Inocybe trivialis</i>	On soil in Lovedale, Nilgiri Biosphere
95 Sordariomycetes	Sordariales	Pezizaceae-anamorphic	<i>Kionochaeta ramifera</i>	On unidentified leaf litter from Kolli hills.
96 Sordariomycetes	Sordariales	Pezizaceae-anamorphic	<i>Kionochaeta spissa</i>	On unidentified leaf litter from Shervarayan hills and Jawadi hills.
97 Sordariomycetes	Hypocreales	Pezizaceae-anamorphic	<i>Kramasamuha sibika</i>	On leaf litter of Neolitsea scrobiculata
98 Ascomycetes	Pezizales	Pezizceae-anamorphic	<i>Kumanasamuha kalakadensis</i>	Kolli hills. Collected by T. Saravanan and
99 Agaricomycetes	Agaricales	Hydnangiaceae	<i>Laccaria fraterna</i>	On unidentified dead twig from Kalakkad, Tamil Nadu. Isolated by D.J. Bhat. K. sundara Rao & Dev Rao. Saravanan, T.
100 Agaricomycetes	Agaricales	Agaricaceae	<i>Lepiota erythrosticta</i>	On Eucalyptus plantations at Naduvattam and Doddabetta, Nilgiri Biosphere
101 Agaricomycetes	Agaricales	Agaricaceae	<i>Lepiota kigumuensis</i>	On soil, in groups, near Orchidarium, Yercaud, Salem district, Tamil Nadu.
102 Agaricomycetes	Agaricales	Agaricaceae	<i>Lepiota leprica</i>	On soil, solitary, way to Botanical garden, Yercaud, Salem district, Tamil Nadu.
103 Agaricomycetes	Agaricales	Agaricaceae	<i>Lepiota tepeitensis</i>	On ground, solitary to groups, near Madhikettan sholai, Kodaikanal, Tamil
104 Agaricomycetes	Agaricales	Agaricaceae	<i>Leucoagaricus rhodocephalus</i>	On ground, solitary to groups, near Silver cascade falls, Kodaikanal, Tamil Nadu.
105 Agaricomycetes	Agaricales	Agaricaceae	<i>Leucocoprinus venezuelans</i>	On soil, solitary to scattered, in groups, University of Madras campus, Chennai
106 Agaricomycetes	Agaricales	Agaricaceae	<i>Macrolepiota mallea</i>	On soil – wood interface, scattered, in groups, Avalanche, Nilgiri district, Tamil
107 Sordariomycetes	Chaetosphaeriales	Chaetosphaeriaceae	<i>Menisporopsis pirozynskii</i>	On rotting wood in Wellington, Nilgiri Biosphere Reserve, Tamil Nadu.
108 Pezizomycetes	Pezizales	Morchellaceae	<i>Morchella esculenta</i>	On unidentified leaf litter from Kolli hills.
109 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Pappimyces hastatus</i>	On soil vattaparai forest kodaikanal.
110 Sordariomycetes	Incertae sedis	Incetae sedis	<i>Parasymphidiella laxa</i>	On unidentified leaf litter from Kolli hills.
111 Sordariomycetes	Hypocreales	Pezizaceae-anamorphic	<i>Phialosporostilbe setosa</i>	On leaf litter of <i>Persea mechrantha</i> and <i>Neolitsea scrobiculata</i> and unidentified leaf litter from Kolli hills; On unidentified
112 Ascomycetes	Incetae sedis	<i>Incetae sedis</i>	<i>Phragmospathula phoenicis</i>	leaf litter from Kolli hills; On unidentified
113 Agaricomycetes	Agaricales	Strophariaceae	<i>Pholiota sylva</i>	On unidentified leaf litter from Shervarayan hills. Collected by T.
				On unidentified leaf litter from Yelagiri
				On soil in Naduvattam, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by

114 Agaricomycetes	Agaricales	Strophariaceae	<i>Pholiota catervaria</i>	On soil in Naduvattam, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by
115 Sordariomycetes	Hypocreales	Pezizaceae-anamorphic	<i>Pseudotorula helica</i>	On unidentified dead twig from
116 Agaricomycetes	Agaricales	Strophariaceae	<i>Psilocybe keralensis</i>	On soil in Ponkuzhy, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K.
117 Agaricomycetes	Agaricales	Strophariaceae	<i>Psilocybe wayanadensis</i>	On soil in Muthanga, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K.
118 Ascomycetes	Pezizales	Pezizaceae-anamorphic	<i>Ramoconidiifera verrucosa</i>	On unidentified leaf litter from Shervarayan hills. Collected by T.
119 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria dianthi</i>	On leaves of Dianthus caryophyllus Sinn. Sim's park, Coonoor, Nilgiris, India. Coll. T.S. Ramakrishnan, 25-6-1949,
120 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria dolichi</i>	On leaves of Dolichos lablab Linn, Nilgris, India, collected by the author 12-2-
121 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria prinsepiae</i>	On leaves pf Prinsipia utilis Royle, Nilgiris(6000ft), India coll.J. Muthumary, On leaves of Rosa sp. Kodaikanal, India. Coll. J.Muthumary, 6-6-1976,
122 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria rosac</i>	On leaves of apium graveolens L.nilgiris. India. Coll. J.Muthumary,17-2-1978,
123 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria apii</i>	On living leaves of Hydrocotyle asiatica.
124 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria fusiformis</i>	Ootacamund, India, J.Muthumary, 17-2-
125 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria adanensis</i>	On leaves of Chrysanthimum sp. Madras, India. Coll. J.Muthumary, 8-2-1979,Herb.
126 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria modonia</i>	On leaves of Sonchus sp. Kodaikanal India. Coll. J.Muthumary, 11-8-1977,
127 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria divaricata</i>	On leaves of Sonchus sp. Kodaikanal On leaves of Phlox sp. Sim's park, Coonoor, Nilgiris. Coll. T.S.
128 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria phlogis</i>	On leaves of Convolvulus sp. Nilgiris(6000ft), India. Coll.
129 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria convolvuli</i>	On leaves of Lycopersicon esculentum Mill.(Solanum lycopersicon Mill.). Coimbatore, India. Coll. T.S.
130 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria lycopersici</i>	On leaves and clms of Digitaria marginata Link., Coimbatore, 1950. Coll.
131 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria graminum</i>	On leaves of Poa sp.
132 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria macropoda</i>	Ootacamund,Nilgiris, India. Coll.
133 Dothideomycetes	Capnodiales	Mycosphaerellaceae	<i>Septoria saccharicola</i>	On leaves of Saccharum officinarum, Coimbatore, India, Coll. J.Muthumary,10-
134 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Sesquicillium candelabrum</i>	On unidentified leaf litter from Kalrayan hills. Collected by T. Saravanan and
135 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Solosympodiella clavata</i>	On unidentified leaf litter from Shervarayan hills. Collected by T.
136 Deuteromycetes	Moniliales	Dematiaceae	<i>Sporidesmium filiferum</i>	On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and
137 Ascomycetes	Pezizales	Dematiaceae-anamorphic	<i>Subramaniomyces fusisaprophyticus</i>	On leaf litter of <i>Persea mechrantha</i> and <i>Neolitsea scrobiculata</i> from Kolli hills;
138 Ascomycetes	Pezizales	Deaticeae-anamorphic	<i>Subramaniomyces indicus</i>	On unidentified leaf litter from Jawadi

139 Ascomycetes	Hypocreales	Pezizaceae-anamorphic	<i>Subulispora procurvata</i>	On unidentified leaf litter from Kolli hills and Kalrayan hills. Collected by T.
140 Ascomycetes	<i>Incertae sedis</i>	<i>Incertae sedis</i>	<i>Tretospeira ugandensis</i>	On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and
141 Agaricomycetes	Agaricales	Tricholomataceae	<i>Tricholoma rhacophorum</i>	On soil in Lamb's rock, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by K.
142 Agaricomycetes	Agaricales	Pluteaceae	<i>Volvariella minuta</i>	On soil, solitary, in a shaddy place near Mullukuruchi, foot hill of Kolli hills,
143 Ascomycetes	Hyphomycetales	Dematiaceae-anamorphic	<i>Xenoheteroconium bicolor</i>	On unidentified leaf litter from Yelagiri hills. Collected by T. Saravanan and
144 Agaricomycetes	Agaricales	Physalaciaceae	<i>Xerula furfuracea</i>	On soil in Sandynallah, Nilgiri Biosphere Reserve, Tamil Nadu. Collected by
145 Sordariomycetes	Hypocreales	<i>Incertae sedis</i>	<i>Zanclospora brevispora</i>	On unidentified leaf litter from Kolli hills.
146 Deuteromycetes	Mucorales	Mucoraceae	<i>Absidia spinosa</i>	Isolated from soil, Madras (114A : 55).
147 Dothideomycetes.	Dothideales	Dothideaceae	<i>Achorella plectroniae</i>	On leaves of Plectronia didyma, Kallar
148 Dothideomycetes.	Dothideales	Dothideaceae	<i>Achorella vaccinii</i>	On leaves of Plectronia didyma, Kallar
149	Moniliales	Stilbaceae.	<i>Actiniceps cocos</i>	on dead spathes of Cocos nucifera, Tirur
150	Moniliales.		<i>Acremonium persicinum</i>	On branches of Grevillae robusta Cunn. In As a hyperparasite on Comptomeris crataeva on Crataeva religiosa, Guindy ,
151	Moniliales	Dematiaceae .	<i>Acrostaphylus hyperparasiticus</i>	On leaves of Anaphalis leptophylla, Sholada, Nilgiris (150:87)
	Uredinales		<i>Aecidium anaphalis</i>	On leaves of Blepharis boerhaaviaefolia,
	Uredinales		<i>Aecidium amaryllidis</i>	On leaves of Crinum asiaticum, Coimbatore A. amaryllidis (213:174) is On leaves of Psychotria elongata, Burliar, see Puccinia leiocarpum. see Puccinia luculenta.
	Uredinales		<i>Aecidium crini Kalchbr</i>	On leaves of Marsdenia volublis, Burliar,
	Uredinales		<i>Aecidium iquitosense</i>	Nilgiris; (138:57) but see A. Marsdeniae
	Uredinales		<i>Aecidium leiocarpum</i>	On leaves of Maba buxifolia var. ebenus,
	Uredinales		<i>Aecidium luculentum</i>	On leaves of Meliosma wightii,
	Uredinales		<i>Aecidium marsdeniae</i>	On leaves of Ceropogia intermedia Kallar
	Uredinales		<i>Aecidium melaleucum</i>	On leaves of Pavonia odorata, Kallar ,
	Uredinales		<i>Aecidium meliosmae-wightiae</i>	On leaves and stems of Canarium
	Uredinales		<i>Aecidium nummulare</i>	On leaves of Diospyros tomentosa,
	Uredinales		<i>Aecidium pavoniae-odoratae</i>	On leaves of Spilanthes acmella, Valparai see Puccinia terminaliae.
	Uredinales		<i>Aecidium pulneyensis</i>	On soil, Post-graduate Women's Hostel ,
	Uredinales		<i>Aecidium rhytismaeum</i>	Chepauk; IIT campus, Guindy, Madras,
	Uredinales		<i>Aecidium spilanthes</i>	On ground, Tiger Shola, Kodaikanal,
	Uredinales		<i>Aecidium terminaliae</i>	New pine plantation, near Pillar rocks,
Basidiomycetes	Agaricales		<i>Agaricus trisulphuratus</i>	On ground, solitary, Women's Hostel
Basidiomycetes	Agaricales		<i>Agaricochaete indica</i>	On ground among grass, Madras
Basidiomycetes	Agaricales		<i>Agrocybe broadwayi</i>	On wood solitary, Mylapore, Madras,
Basidiomycetes	Agaricales		<i>Agrocybe fimicola</i>	On litter Natarajan Vilas Cardamom
Basidiomycetes	Agaricales		<i>Agrocybe manihotis</i>	On ground, Indian Institute of Technology
Basidiomycetes	Agaricales		<i>Agrocybe manihotis</i>	Kattery Manthanai Forest, Ootacamund,
Basidiomycetes	Agaricales		<i>Agrocybe retigera</i>	On leaves and peduncles of Mollugo
Basidiomycetes	Agaricales		<i>Agrocybe semiorbicularis</i>	
Peronosporales	Albuginaceae		<i>Albugo mollugini</i>	

Moniliales	Dematiaceae	<i>Alternaria cyamopsisidis</i>	on living leaves of <i>Cyamopsis tetragonoloba</i> Taub. Agric. College
Moniliales	Dematiaceae	<i>Alternaria melongenae</i>	on <i>Solanum melongena</i> L., and <i>Capsicum</i>
Moniliales	Dematiaceae	<i>Alternaria palandui</i>	On leaves of <i>Allium cepa</i> , Coimbatore, (6:13); Palur, Perambalur, Namakkal, On Tomato causing leaf spot in Solan. H.P. (1224); on <i>Solanum muricatum</i> Ait.
Moniliales	Dematiaceae	<i>Alternaria solani</i>	On ground in Madras. Tamil Nadu (
Agaricales		<i>Amanita flovofloccosa</i>	On ground among pine litter, Kundar, Kodaikanal, Tamil Nadu.
Agaricales		<i>Amanita muscaria</i>	in Coimbatore (508).
Agaricales		<i>Amanita pantherina</i>	in Kerala, Karnataka and Tamil Nadu.
Meliolales		<i>Amazonia abutili</i>	On dead stumps of <i>Lantana camara</i> var.
Meliolales		<i>Amazonia mayteni</i>	aculeata University Botany Laboratory
Sphaeriales		<i>Amphisphaeria lantanae</i>	On leaves of <i>Cyrtococcum oxyphyllum</i> ,
Uredinales	Pucciniaceae	<i>Angiospora cyrtococci</i>	On leaves of <i>Vernonia bourneana</i> ,
Uredinales	Pucciniaceae	<i>Angiospora vernoniae</i>	On leaves of <i>Photinia</i> sp., Kodaikanal
Moniliales	Dematiaceae	<i>Annellophora indica</i>	On tree branches, near Ootacamund,
Agaricales		<i>Anthracophyllum berterii</i>	On twigs, Tiger Shola, Kodaikanal, Tamil
Agaricales		<i>Anthracophyllum nigritum</i>	On dead wood, Madras (184:37).
Moniliales	Stilbaceae	<i>Antromycopsis broussonetiae</i>	On leaf litter of <i>Eucalyptus globules</i>
		<i>Anungitea globosa</i>	in Kerala, Karnataka and Tamil Nadu
Dothideales		<i>Appendiculella calophylli</i>	On leaves of <i>Rhynchosia cyanosperma</i>
Hemisphaeriales	Polystomellaceae	<i>Aphysa rhynchosiae</i>	in Coimbatore (508).
Dothideales		<i>Armatella cinnamomocola</i>	on leaves of <i>Persea macrantha</i> (Nees)
Dothideales		<i>Armatella katumotoi</i>	On <i>Accaia decurrens</i> , Nilgiris, Tamil
Agaricales		<i>Armillaria fuscipes</i>	On dead stems, Thanthipandal,
Moniliales	Dematiaceae	<i>Arthrinium saccharicola</i>	On leaves of <i>Thysanolaena maxima</i> , Sims
Moniliales	Stilbaceae	<i>Arthrobotryum coonoorense</i>	On dead bamboo, Sim's Park, Coonoor
Moniliales	Stilbaceae	<i>Arthrobotryum nilgirense</i>	On leaves of <i>Tylophora nollissima</i> and T.
Uredinales	Pucciniaceae	<i>Arthuria tylophorae</i>	On leaves of <i>Commiphora caudata</i> ,
Sphaeropsidales	Sphaerioidaceae	<i>Ascochyta commiphorae</i>	On leaves of <i>Clerodendron infortunatum</i> ,
Sphaeropsidales	Sphaerioidaceae	<i>Ascochyta infortunata</i>	On leaves of <i>Symplocos spicata</i> , Sim's
Myriangiales		<i>Ascomycetella symploci</i>	On the ground, Kodaikanal. (62:257).
Phallales		<i>Aseroe rubra</i>	Link From soil Madras (219:145)
Moniliales	Moniliaceae	<i>Aspergillus candidus</i>	Link in soil Madras (219:145)
Moniliales	Moniliaceae	<i>Aspergillus flavus</i>	Wehmer in soil Madras (219:145; 2: 99).
Moniliales	Moniliaceae	<i>Aspergillus giganteus</i>	see <i>Emericella nidulans</i>
Moniliales	Moniliaceae	<i>Aspergillus nidulans</i>	in soil, Madras (119:145; 116:112).
Moniliales	Moniliaceae	<i>Aspergillus niger</i>	In roots of <i>Asparagus racemosus</i> , Madras
Moniliales	Moniliaceae	<i>Aspergillus phaeocephalus</i>	soil, Madras (219:145).
Moniliales	Moniliaceae	<i>Aspergillus repens</i>	From soil, Madras (112).
Moniliales	Moniliaceae	<i>Aspergillus sydowii</i>	Isolated from soil, Vandalur (Madras)
Moniliales	Moniliaceae	<i>Aspergillus terreus</i>	Isolated from soil, Vandalur (Madras)
Moniliales	Moniliaceae	<i>Aspergillus ustus</i>	see <i>Emericella variecolor</i> .
Moniliales	Moniliaceae	<i>Aspergillus variecolor</i>	in Neyveli lignite mine, Tamil Nadu
		<i>Aspleniumsporites tridevii</i>	in Coimbatore (508).
Dothideales		<i>Asteridiella elaoarpi-tuberculati</i>	On leave of <i>Clerodendrum viscosum</i>
Dothideales		<i>Asteridiella vivekananthanii</i>	On leaves of <i>Glycosmis pentaphylla</i> Corr.
Hemisphaeriales	Microthyriaceae	<i>Asterina banguiensis</i>	in Coimbatore, Tamil Nadu (518).
Hemisphaeriales	Microthyriaceae	<i>Asterina bissiliens</i>	On leaves of <i>Capparis</i> sp., Madras
Hemisphaeriales	Microthyriaceae	<i>Asterina celtidicola</i>	

	Hemisphaeriales	Microthyriaceae	<i>Asterina cinnamomi</i>	On leaves of <i>Cinnamomum zeylanicum</i>
	Hemisphaeriales	Microthyriaceae	<i>Asterina crebra</i>	On leaves of <i>Opilia amentacea</i> ,
	Hemisphaeriales	Microthyriaceae	<i>Asterina euonymi</i>	in Coimbatore, Tamil Nadu (518).
	Hemisphaeriales	Microthyriaceae	<i>Asterina garciniae</i>	On leaves of <i>Garcinia mangostana</i> ,
	Hemisphaeriales	Microthyriaceae	<i>Asterina mitteriana</i>	On leaves of <i>Ilex wightiana</i> , Ootacamund
	Hemisphaeriales	Microthyriaceae	<i>Asterina sabiacerum</i>	in Coimbatore, Tamil Nadu (518).
	Hemisphaeriales	Microthyriaceae	<i>Asterina terria</i>	in Coimbatore, Tamil Nadu (518).
	Hemisphaeriales	Microthyriaceae	<i>Asterina toddaliae</i>	in Coimbatore, Tamil Nadu (518).
	Hemisphaeriales	Microthyriaceae	<i>Asterinella intensa</i>	On <i>Elaeodendron glaucum</i> , Madras
	Melanconiales		<i>Astroconium nothopogiae</i>	On leaves of <i>Nothopogia dalzellii</i> ,
	Sphaeropsidales		<i>Asterostomella isonnandrae</i>	in Coimbatore, Tamil Nadu (518).
	Tremellales	Auriculariaceae	<i>Auricularia epiricha</i>	On bark, Nilgiris (Madras) (46:15).
	Tremellales	Auriculariaceae	<i>Auricularia zeicola</i>	on <i>Euphorbia geniculata</i> causing leaf and
	Sphaeriales	Cryptosporellaceae	<i>Bagcheea castaneae</i>	On leave of <i>Castanea</i> sp., Kotagiri
	Moniliales	Dematiaceae	<i>Bahuasakala olivaceo-nigra</i>	On dead Liliaceae, Government Garden,
	Moniliales	Dematiaceae	<i>Bahuasandhika indica</i>	Ootacamund, Nilgiris District, Madras; on
	Hypocreales		<i>Balansia oryzae</i>	On dead spathe of <i>Cocos nucifera</i>
	Hypocreales		<i>Balansia sclerotica</i>	see <i>Ephelis oryzae</i> .
	Moniliales	Stilbaceae	<i>Basidiella sphaerocarpa</i>	on <i>Panicum flavidum</i> , Coimbatore (3), on
	Moniliales	Dematiaceae	<i>Beltrania indica</i>	In decayed roots of <i>Gloriosa superba</i> ,
Basidiomycetes	Moniliales	Dematiaceae	<i>Beltraniella odinae</i>	On pods of <i>Caesalpinia pulcherrima</i> ,
	Moniliales	Dematiaceae	<i>Bipolaris longirostrata</i>	On dead leaves of <i>Odina wodier</i> , Madras
	Moniliales	Dematiaceae	<i>Blodgettia indica</i>	(178:227). <i>Blastospora ascotela</i> see
	Agaricales		<i>Bolbitius aleuriatus</i>	on dead leaves of <i>Borassus flabellifer</i> ,
	Sphaeropsidales	Sphaerioidaceae	<i>Botryodiplodia hypoxylonidea</i>	On stubble submerged in water, Madras
	Sphaeropsidales	Sphaerioidaceae	<i>Botryodiplodia theobromae</i>	On rotting wood, solitary, Tiger Shola,
	Dothideales		<i>Botryosphaeria Philoprina</i>	On <i>Moringa oleifera</i> , Coimbatore .
	Moniliales	Moniliaceae	<i>Botryosporium longibrachiatum</i>	on <i>Eugenia jambolana</i> causing leaf spot in
		Sclerotiniaceae	<i>Botryotinia ricini</i>	Coimbatore Tamil Nadu. On <i>Gossypium</i>
	Moniliales	Moniliaceae	<i>Botryotis cinerea</i>	on <i>Manihot glaziovii</i> in M.P., Tamil Nadu
	Uredinales	Melampsoraceae	<i>Bubakia indica</i>	On dead plants of <i>Arachis hypogea</i> ,
	Helotiales		<i>Bulgariastrum tumefaciens</i>	On inflorescence of <i>Ricinus communis</i>
	Sphaeriales		<i>Calochaetis indica</i>	From soil Madras (219; 145).
	Hypocreales		<i>Calonectria theae</i>	On leaves of <i>Glochidion neilgherrense</i> ,
	Phallales		<i>Calathiscus sepia</i>	On leaves and inflorescence of <i>Capparis</i>
	Dothideales	Dothideaceae	<i>Camarotella symploci</i>	<i>sepiaria</i> , Kallar and Hasanur, Coimbatore
	Agaricales		<i>Campanella junghuhnii</i>	On leaves of <i>Andropogon nardus</i> ,
	Moniliales	Tuberculariaceae	<i>Campromeris acaciae</i>	On <i>Thea sinensis</i> , S. India.
	Moniliales	Tuberculariaceae	<i>Campromeris crataevae</i>	On tree trunks in a damp forest near
	Moniliales	Moniliaceae	<i>Candelospora theae</i>	On leaves of <i>Symplocos foliosa</i>
	Agaricales		<i>Cantharocybe gruberi</i>	On rotting wood, Tiger Shola,
	Dothideales	Capnodiaceae	<i>Capnodium citri</i>	on <i>Acacia arabica</i> , Coimbatore (207:489;
	Dothideales	Capnodiaceae	<i>Capnodium theae</i>	On leaves of <i>Crataeva religiosa</i> , Madras
	Dothideales	Phyllachoraceae	<i>Catacauma acaciae</i>	On <i>Thea sinensis</i> S. India, see also
	Dothideales	Phyllachoraceae	<i>Catacauma elaeocarpi</i>	On soil at the base of <i>Mangifera indica</i>
	Dothideales	Phyllachoraceae	<i>Catacauma elettariae</i>	On leaves and twigs of <i>Citrus</i> sp., Hosur .

Dothideales	Phyllachoraceae	<i>Catacauma repens</i>	On leaves of Ficus religiosa, Madras (32a:16 and 38:95 as Dothidea repens)
Dothideales	Phyllachoraceae	<i>Catacaumella calamicola</i>	On leaves of Calamus rotang, Coonoor
Uredinales		<i>Catenulopsora zizyphi</i>	On Zizyphus oenoplea, Kallar Coimbatore
Uredinales		<i>Catenulopsora flacourtieae</i>	on Scolopia crenata Burliar (Nilgiris)
Moniliales	Moniliaceae	<i>Cephaliophora irregularis</i>	On dead and decaying moist wood,
Moniliales	Moniliaceae	<i>Cephalosporium acremonium</i>	From soil, Madras (219:145).
Moniliales	Moniliaceae	<i>Cephalosporium sacchari</i>	Throughout India (25:402; 27:181).
Sphaeriales		<i>Ceratosphaeria crossandrae</i>	On dead stems of Crossandra
Sphaeriales		<i>Ceratocystis adiposa</i>	On planted cuttings and old culms of On Cocos nucifera, Areca catechu and Borassus flabellifer, and Saccharum
Sphaeriales		<i>Ceratocystis paradoxa</i>	see Ceratocystis adiposa. see <i>Ceratocystis paradoxa</i> .
Sphaeriales		<i>Ceratocystis Cereatostomella adip</i>	
Moniliales	Dematiaceae	<i>Cercospora beticola</i>	On leaves of Beta vulgaris, Ketti, Nilgiris.
Moniliales	Dematiaceae	<i>Cercospora careyae</i>	On leaves of Careya arborea, Gudalur,
Moniliales	Dematiaceae	<i>Cercospora carthami</i>	On leaves of Carthamus tinctoria,
Moniliales	Dematiaceae	<i>Cercospora chloroxyli</i>	On leaves of Chloroxylon swieteniae,
Moniliales	Dematiaceae	<i>Cercospora effusa</i>	On leaves of Lobelia excelsa, Coonoor,
Moniliales	Dematiaceae	<i>Cercospora eucalypti</i>	On leaves of Eucalyptus ficicola,
Moniliales	Dematiaceae	<i>Cercospora eupatoricola</i>	On leaves of Eupatorium glandulosum,
Moniliales	Dematiaceae	<i>Cercospora ferruginea</i>	On leaves of Artemesia vulgaris,
Moniliales	Dematiaceae	<i>Cercospora galactiae</i>	On leaflets of Galactia tenuifolia Kallar
Moniliales	Dematiaceae	<i>Cercospora grewiicola</i>	On leaves of Grewia sp., Kallar (58:229).
Moniliales	Dematiaceae	<i>Cercospora hibisci</i>	On leaves of Hibiscus esculentus,
Moniliales	Dematiaceae	<i>Cercospora insulana</i>	On leaves and flowering shoots of Statice
Moniliales	Dematiaceae	<i>Cercospora jasminicola</i>	On leaves of Jasminum grandiflorum,
Moniliales	Dematiaceae	<i>Cercospora kallarensis</i>	On leaves of Ficus sp., Kallar (137:69).
Moniliales	Dematiaceae	<i>Cercospora knoxiae</i>	On leaves of Knoxia corymbosa,
Moniliales	Dematiaceae	<i>Cercospora longispora</i>	on leaf litter of Eucalyptus tereticornis F.
Moniliales	Dematiaceae	<i>Cercospora morindae</i>	On leaves of Morinda tinctoria,
Moniliales	Dematiaceae	<i>Cercospora nicotianae</i>	On leaves of Nicotiana tabacum,
Moniliales	Dematiaceae	<i>Cercospora nilgherensis</i>	On leaves of Conzya ambigua,
Moniliales	Dematiaceae	<i>Cercospora nothopegiae</i>	On leaves of Nothopegia dalzelliae,
Moniliales	Dematiaceae	<i>Cercospora nympheaceae</i>	On leaves of Nymphaea lotus,
Moniliales	Dematiaceae	<i>Cercospora pentaleuca</i>	On leaves of Clitoria ternatea, Coimbatore
Moniliales	Dematiaceae	<i>Cercospora personata</i>	On leaves of Arachis hypogaea, throughout
Moniliales	Dematiaceae	<i>Cercospora pilosa</i>	On leaves of Triumfetta pilosa,
Moniliales	Dematiaceae	<i>Cercospora pulchella</i>	On leaves of Indigofera pulchella,
Moniliales	Dematiaceae	<i>Cercospora sesbaniae</i>	On leaves of Sesbania grandiflora,
Moniliales	Dematiaceae	<i>Cercospora solanacea</i>	Coimbatore (207:490), Achutamangalam,
Moniliales	Dematiaceae	<i>Cercospora sophorae</i>	On leaves of Solanum verbasci-folium,
Moniliales	Dematiaceae	<i>Cercospora sorghi</i>	On leaves of Sophora glauca, Nanjanad,
Moniliales	Dematiaceae	<i>Cercospora subsessilis</i>	On leaves of Sorghum vulgare. Madras
Moniliales	Dematiaceae	<i>Cercospora venezuelana</i>	State (120:265), on Sorghum halepense,
Moniliales	Dematiaceae	<i>Cercospora vestita</i>	On leaves of Melin azedarach,
Moniliales	Dematiaceae	<i>Cercospora ugandensis</i>	On leaves of Solanum indicum,
Moniliales	Dematiaceae	<i>Cercospora unamonoii</i>	On leaves of Leucas vestita, Kodaikanal
Moniliales	Dematiaceae	<i>Cercospora viticola</i>	On leaves of Mariscus sp., Kallar
Moniliales	Dematiaceae		On leaves of Capsicum frutescens, Kallar
Moniliales	Dematiaceae		On Vitis vinifera, Gangavarpatti, Madurai

Moniliales	Dematiaceae	<i>Ceratosporella deviata</i>	On leaves of Raphilostyles sapida,
Moniliales	Moniliaceae	<i>Cercosporaella anamiriae</i>	on Anamirta coculus in Tamil Nadu.
Moniliales	Moniliaceae	<i>Cercosporaella endecaphyllae</i>	On leaves of Indigofera endecaphylla,
Moniliales	Moniliaceae	<i>Cercosporaella theae</i>	see Calonectria theae and Candelospora on Ground nut (Arachis hypogaea L.) var. POL-2 and JL-24 causing late leaf spot in
Moniliales		<i>Cercosporidium personatum</i>	On leaves of Imperata arundinacea
Moniliales	Dematiaceae	<i>Cercosporina imperatae</i>	
Moniliales	Dematiaceae	<i>Cercosporina imperatae</i>	
Moniliales	Tuberculariaceae	<i>Cerebella nardi</i>	On glumes of Andropogon nardus, see C. volvensii.
Moniliales	Tuberculariaceae	<i>Cerebella sorghi-vulgaris</i>	In ovaries of Sorghum vulgare
Moniliales	Tuberculariaceae	<i>Cerebella volvensii</i>	
Uredinales	Pucciniaceae	<i>Cerotellum</i>	
Uredinales	Pucciniaceae	<i>Chaconia butleri</i>	On leaves of Jasminum brevifolium,
Sphaeriales		<i>Chaetomium britannicum</i>	On power generating cooling tower,
Sphaeriales		<i>Chaetomium bostrychodes</i>	Isolated from black cotton soil,
Sphaeriales		<i>Chaetomium rufum</i>	On moist straw, Madras (114:118).
Sphaeriales		<i>Chaetomium trilaterale</i>	Isolated from rice field soil, Vandalur
Moniliales	Dematiaceae	<i>Chloridium indicum</i>	On dead leaves of Phoenix canariensis,
Moniliales	Dematiaceae	<i>Chloridium schulzerii</i>	On dead stems, Madras (184:40).
Moniliales		<i>Chalara sibika</i>	On leaf litter of Ficus sp., Tambaram,
Agaricales		<i>Chlorophyllum molybdites</i>	On soil, IIT campus; Post-graduate
Uredinales	Pucciniaceae	<i>Chrysocelis indica</i>	Women's Hostel campus, Chepauk;
Sphaeropsidales	Leptostromaceae	<i>Ciliochorella mangiferae</i>	On leaves of Justicia betonica, Burliar
Ustilaginales	Ustilaginaceae	<i>Cintractia axicola</i>	on leaves of Couroupita guianensis,
Ustilaginales	Ustilaginaceae	<i>Cintractia peribebuyensis</i>	Terminalia sp., Swietenia sp., Madras, of
Ustilaginales	Ustilaginaceae	<i>Cintractia minor</i>	In peduncles of F. dichotoma, considered as a synonym by Mund. and
Ustilaginales			Inflorescence of Cyperus sp. (105a:44).
Ustilaginales	Ustilaginaceae	<i>Cintractia pulverulenta</i>	In ovaries of Saccharum arundinaceum,
Agaricales		<i>Civisubramaniania eucalypti</i>	Coimbatore (44:34); Tiruvadi, Thanjavur
		<i>Cladopus byssoides</i>	On leaf litter of Eucalyptus sp., Vandalur,
Moniliales	Dematiaceae	<i>Cladosporium herbarum</i>	On litter, Madras Christian Colleg
Hypocreales		<i>Claviceps paspali</i>	On withering plant material, India
Hypocreales		<i>Claviceps pusilla</i>	(38:95); isolated from soil, Vandalur
Sphaeriales		<i>Cochliobolus australiensis</i>	On Paspalum scrobiculatum and
Sphaeriales		<i>Cochliobolus bicolor</i>	Rhynchelytrium roseum, Coimbatore
Sphaeriales		<i>Cochliobolus miyabeanus</i>	On Rhynchelytrium roseum, Coonoor
Mucorales		<i>Coemansia reversa</i>	On Maranta arundinacea causing leaf
Uredinales,	Melampsoraceae	<i>Coleosporium oldenlandiae</i>	on Eleusine coracana (L.) Gaertn in
Melanconiales		<i>Colletotrichum capsici</i>	Andhra Pradesh. (1048); on Sorghum spp.
Melanconiales		<i>Colletotrichum crassipes</i>	On rice causing brown rot in Madras
Melanconiales		<i>Colletotrichum ciliatum</i>	Isolated from rhizosphere of pigeon pea,
Melanconiales		<i>Colletotrichum compactum</i>	On leaves of Oldenlandia aspera,
Melanconiales		<i>Colletotrichum curcumae</i>	On leaves, stems and fruits of Capsicum
			On living leaves of Eugenia Caryophyllata
			Lam. Causing foliar disease in
			see Rostrospora ciliata.
			On pods of Albizia lebbeck, Coimbatore
			On leaves of Curcuma longa, through S.
			India (89: 198; 199) considers as a

Melanconiales	<i>Colletotrichum dematum</i>	On leaves of Lonicera hildebrandtiana, Coonoor (Kandaswamy and Sundaram,
Melanconiales	<i>Colletotrichum falcatum</i>	On leaves of Saccharum officianarum,
Melanconiales	<i>Colletotrichum falcatum</i>	On leaves of Arundo donax, Coimbatore On Citrus aurantium and C. medica
Melanconiales	<i>Colletotrichum gloeosporioides</i>	throughout India: on C. aurantium, Pudukkotai and Coimbatore Tamil Nadu.
Melanconiales	<i>Colletotrichum gloeosporioides</i>	Coimbatore Tamil Nadu (706).
Melanconiales	<i>Colletotrichum gloeosporioides</i>	On leaves of Sorghum vulgare, in Kerala and Tamil Nadu (833).
Melanconiales	<i>Colletotrichum graminicolum</i>	see Pellicularia kolegora.
Melanconiales	<i>Colletotrichum lindemuthianum</i>	see Pellicularia salmonicolor.
Melanconiales	<i>Colletotrichum corticum</i>	On litter and humus, Madras Christian
Melanconiales	<i>Colletotrichum salmonicolor</i>	College campus, Tambaram, Madras, On pine litter, Kodaikanal, Tamil Nadu.
Agaricales	<i>Collybia allegretii</i>	On soil mixed with litter, Alagar Hills,
Agaricales	<i>Collybia confluens</i>	On living Eucalyptus tree bark, Carlton
Agaricales	<i>Collybia dealbata</i>	On decaying wood, Indian Institute of
Agaricales	<i>Collybia johnstonii</i>	On soil mixed with litter at the base of
Agaricales	<i>Collybia polygramma</i>	living dicot tree, Madras University
Agaricales	<i>Collybia seripes</i>	on dead leaves of Elaeocarpus ferrugineus
Sphaeropsidales	<i>Coniella castaneicola</i>	On Pine boughs among the timber packing of cooling tower from Madras
Sphaeriales	<i>Coniochaeta tetraspora</i>	On cow dung, solitary, Santinella,
Basidiomycetes	<i>Conocybe semiglobata</i>	On ground, Shola near Lovedale Railway
Basidiomycetes	<i>Conocybe aurea</i>	On cow dung, in groups, Madras
Basidiomycetes	<i>Conocybe ambigua</i>	University Botany Field Research
Basidiomycetes	<i>Conocybe pilosella</i>	On litter, solitary, Valliamai Cardamom
Basidiomycetes	<i>Conocybe rickenii</i>	On ground, solitary, 1974 Pine regeneration area, Katharikai odai,
Basidiomycetes	<i>Conocybe fragilis</i>	On litter, solitary, Kattery Manthanai
Basidiomycetes	<i>Conocybe plumbeitincta</i>	On cow dung, in groups, Madras
Basidiomycetes	<i>Conocybe cochracea</i>	University Botany Field Research
Agaricales	<i>Conostroma quercicola</i>	On ground, solitary, Kodambakkam,
Agaricales	<i>Copelandia tirunelveliensis</i>	in Kodiakanal , Tamil Nadu (850).
Melanconiales	<i>Copelandia tropica</i>	on soil Tamil Nadu, in India (895).
Agaricales	<i>Coryneum quercinum</i>	in Kerala, India (895).
Agaricales	<i>Crinipellis stipitaria</i>	in Kodiakanal, Tamil Nadu. (854).
Agaricales	<i>Crinipellis subtomentosa</i>	On living grass, Madras University
Basidiomycetes	<i>Cryptotrama asprata</i>	Botany Field Research Laboratory,
Basidiomycetes	<i>Copelandia cyanescens</i>	On living grass especially at the basal
Agaricales	<i>Copelandia tropica</i>	region, in sandy pasture, Post-graduate
Agaricales		On decaying wood, Berijam Lake,
Basidiomycetes		On elephant dung, in groups, Deer Park,
Basidiomycetes		On litter, in groups, Cardamom Estate,
Agaricales		On ground, solitary, Kodimudi Teak
Agaricales	<i>Copelandia tirunelveliensis</i>	plantations, Mundanthurai, Tirunelveli,
Basidiomycetes	<i>Copelandia bispora</i>	On ground, solitary, Mundanthurai,
Basidiomycetes	<i>Coprinus brunnaeoeffibrillosus</i>	On ground, in groups, Nungambakkam,
Basidiomycetes	<i>Coprinus macrocephalus</i>	On ground, in groups, Madras University
Basidiomycetes	<i>Coprinus lagopus</i>	On paddy straw, in groups, Madras

Basidiomycetes	Agaricales	<i>Coprinus poliomallus</i>	On litter, in groups, Cardamom estate,
Basidiomycetes	Agaricales	<i>Coprinus plicatilis</i>	On ground, in groups, Children's Park,
Basidiomycetes	Agaricales	<i>Coprinus plicatilis</i>	On ground, in groups, Valliamai
Basidiomycetes	Agaricales	<i>Crepidotus uber</i>	On fallen log, in groups, Kodimudi Teak
Basidiomycetes	Agaricales	<i>Crepidotus eucalypticola</i>	On living Eucalyptus tree trunk, in
Basidiomycetes	Agaricales	<i>Crepidotus cystidisous</i>	On fallen log, solitary, Senkaltheri,
Basidiomycetes	Agaricales	<i>Crepidotus applanatus</i>	On Eucalyptus rудis Engler tree trunk, in
Basidiomycetes	Agaricales	<i>Crepidotus nephrodes</i>	groups, Pine Plantation, Kudar,
	Sphaeriales	<i>Corollospora intermedia</i>	On rotting wood, in groups, Tiger Shola,
	Agaricales	<i>Corticium rolfsi</i>	On dead twigs of Prosopis juliflora L.
	Agaricales	<i>Corticium salmonicolor</i>	On Robusata bananas causing pseudo
	Moniliales	<i>Corynespora cassiicola</i>	in Tamil Nadu and Kerala (834).
	Uredinales	<i>Cronartium fici</i>	On dead stems of Cassia sp. and dead
	Uredinales	<i>Crossopsora premnae-tomentosae</i>	On leaves of Ficus sp., Burliar, Nilgiris
		<i>Crucibulum vulgare</i>	On leaves of Premna tomentosa, Kallar
Melanconiales	Dermatiaceae	<i>Cryptostictis grevilleae</i>	Nilgiris (68:160).
Mucorales	Choanephoraceae	<i>Cunninghamella bertholletiae</i>	On leaves of Grevillea robusta, Nilgiris
Mucorales	Choanephoraceae	<i>Cunninghamella echinulata</i>	Isolated from soil, Vandalur (Madras)
Moniliales	Dermatiaceae	<i>Curvularia andropogonis</i>	Isolated from soil, Vandalur (Madras)
Moniliales	Dermatiaceae	<i>Curvularia falcata</i>	On leaves of Dichanthium annulatum,
Moniliales	Dermatiaceae	<i>Curvularia inaequalis</i>	On dead palm leaf, Madras (183:37).
Moniliales	Dermatiaceae	<i>Curvularia indica</i>	On dead palm (Cocos nucifera) Velacheri,
Moniliales	Dermatiaceae	<i>Curvularia lunata</i>	On dead culms of Scirpus sp.,
Moniliales	Dermatiaceae	<i>Curvularia luna</i>	Isolated from soil, Vandalur (Madras)
			on rice cultivars IR 20& CO43 causing
			On dead culms of Scirpus sp.,
Moniliales	Dermatiaceae	<i>Curvularia maculans</i>	Poonamallee and leaf sheath of Musa
Moniliales	Dermatiaceae	<i>Curvularia pallescens</i>	On dead palm leaf, Madras (183:29);
Moniliales	Dermatiaceae	<i>Curvularia palmarum</i>	On dead leaves of Cocos nucifera,
Moniliales	Dermatiaceae	<i>Curvularia trifolii</i>	On dead culms of Scirpus sp.,
Moniliales	Dermatiaceae	<i>Curvularia uncinata</i>	On dead culms of Scirpus sp.,
Melanconiales		<i>Cylindrosporium dichanthi</i>	On leaves of Dichanthium annulatum,
Melanconiales		<i>Cylindrosporium gyrocarpi</i>	On leaves of Gyrocarpus americanus,
Uredinales	Pucciniaceae	<i>Cystopsora oleae</i>	Bolampatti Hills (Madras) ; Anamalais
			On leaves of Achyranthes aspera, Coorg,
Peronosporales	Albuginaceae	<i>Cystopus bliti</i>	A. sp., Coimbatore, Digera arvensis,
Peronosporales	Albuginaceae	<i>Cystopus molluginicola</i>	see Albugo molluginis.
Peronosporales	Albuginaceae	<i>Cystopus portulacae</i>	On Portulaca quadrifida, Coimbatore
Sphaeropsidales	Sphaerioidaceae	<i>Cytospora sacchari</i>	On culms and sheaths of Saccharum
Moniliales	Moniliaceae	<i>Dactylella bembicodes</i>	Isolated from rhizospere, Madras.
Agaricales	Polyporaceae	<i>Daedaleopsis tenuis</i>	South India. 76:2; 77:1126).
Sphaeriales		<i>Daldinia bakeri</i>	On wood of deciduous trees, Nilgiris
Sphaeropsidales	Sphaerioidaceae	<i>Darluca</i>	
Helotiales		<i>Dasyscypha aleurodes</i>	On palm petioles, Nilgiris (50:73).
Helotiales		<i>Dasyscypha emerici</i>	On twigs, Nilgiris
Moniliales	Dermatiaceae	<i>Deightoniella indica</i>	on dead stems, Government Garden
Moniliales	Stibaceae	<i>Dendrographium interseminatum</i>	on dead twigs, Madras.
Moniliales	Dermatiaceae	<i>Dendryphion digitatum</i>	On dead stems, Coonoor (Nilgiris)
Sphaeropsidales	Leptostromaceae	<i>Didymochora cedrelae</i>	On leaves of Cedrela toona Coonoor
Sphaeriales		<i>Didymella pseudosasae</i>	On bamboo in Tamil Nadu (1163).
Sphaeropsidales	Sphaerioidaceae	<i>Diplodia catappae</i>	On nuts of Terminalia catappa,

Sphaeropsidales	Sphaerioidaceae	<i>Diplodia catechu</i>	In inflorescence of Areca catechu,
Sphaeropsidales	Sphaerioidaceae	<i>Diplodia longipedicellata</i>	On leaves of Syzgium montanum,
Sphaeropsidales	Sphaerioidaceae	<i>Diplodia natalensis</i>	On fruits of Myristica fragrans, Burliar,
Moniliales	Stilbaceae	<i>Drumopama girisa</i>	On both surfaces of decaying and dead
Moniliales	Dematiaceae	<i>Dwayabeeja sundara</i>	leaves of Gramineae, Govt.Garden, on dead leaf rachis of Phoenix canariensis,
Moniliales	Dematiaceae	<i>Dwayaloma trina</i>	On dead culms and leaves of an unidentified grass from the Sim's Park,
Moniliales	Dematiaceae	<i>Dwayamala prathilomaka</i>	On dead stem, Govt. Garden,
Moniliales	Entolomataceae	<i>Eccilia excentrica</i>	Ootacamund, Nilgiris, Madras; On dead
Myriangiales	Dematiaceae	<i>Edmundmasonia pulchra</i>	On wood, Coorg. Karnataka (907i).
Myriangiales		<i>Elsinoe cullenii</i>	On dead wood, Government Garden,
Moniliales,	Stibaceae	<i>Elsinoe mezoneuri</i>	On leaves of Cullenia excelsa,
Eurotiales		<i>Endosporostilbe nilagirica</i>	On leaves of Mezoneurum cucullatum,
Eurotiales		<i>Emericella nidulans</i>	On dead stems amongst litter, Govt.
Entomophthoraces	Entomophthoraceae	<i>Emericella variecolor</i>	From soil, Madras (219:145), from soil,
Entomophthoraces	Entomophthoraceae	<i>Empusa aphidis</i>	Isolated from soil, Vandalur (116:112)
Ustilaginales	Tilletiaceae.	<i>Empusa lecanii</i>	On aphids (Macrosiphon solanifolii),
Ustilaginales	Tilletiaceae.	<i>Entyloma bidentis</i>	on Phenococcus insolitus, Coimbatore)
Ustilaginales	Tilletiaceae.	<i>Entyloma dactylidis</i>	On leaves of Bidens pilosa, Kallar and
Ustilaginales	Tilletiaceae.	<i>Entyloma dahliae</i>	On Dactylis glomerata, Ootacamund
Ustilaginales	Tilletiaceae.	<i>Entyloma fuscum</i>	On leaves of Dahlia variabilis,
Ustilaginales	Tilletiaceae.	<i>Entyloma irregulare</i>	On leaves of Papaver, sp. Ootacamund
Ustilaginales	Tilletiaceae.	<i>Entyloma nymphaeae</i>	On leaves of Poa annua, Ootacamund
Hypocreales		<i>Eppichloe bambusae</i>	on leaves of Nymphaea sp. Kodaikanal
Hypocreales		<i>Eppichloe cinerea</i>	On culms of Bambusa sp., S.India
Erysiphales	Erysiphaceae	<i>Erysiphe betae</i>	On inflorescence of Eragrostis
Erysiphales	Erysiphaceae	<i>Erysiphe biocellata</i>	Valparai, Combatore.
Erysiphales	Erysiphaceae	<i>Erysiphe cichoracearum</i>	Perumalmalai, Kodaikanal.
Erysiphales	Erysiphaceae	<i>Erysiphe communis</i>	Bharathiar University Campus,
Erysiphales	Erysiphaceae	<i>Erysiphe cruciferarum</i>	On Nicotiana tabacum, Koilpatti,
Erysiphales	Erysiphaceae	<i>Erysiphe galeopsisid</i>	Cucurbita pepo, C.maxima and Hibiscus
Erysiphales	Erysiphaceae	<i>Erysiphe glycines</i>	Tamil Nadu.
Erysiphales	Erysiphaceae	<i>Erysiphe heraclei</i>	Manchur, Kodaikanal.
Erysiphales	Erysiphaceae	<i>Erysiphe hommae</i>	in Coimbatore , Tamil Nadu (506).
Erysiphales	Erysiphaceae	<i>Erysiphe ornottii</i>	Tamil Nadu Agricultural University
Erysiphales	Erysiphaceae	<i>Erysiphe pisi</i>	Seithur Hills, Kamarajar District.
Erysiphales	Erysiphaceae	<i>Erysiphe polygoni</i>	Coimbatore.
Erysiphales	Erysiphaceae	<i>Erysiphe polygoni</i>	Rajamani Estate, Kodaikanal.
Erysiphales	Erysiphaceae	<i>Erysiphe rabdosiae</i>	Kotagiri, Nilgiri.
Erysiphales	Erysiphaceae	<i>Erysiphe sikkimensis</i>	On Coriandrum sativum, Cuminum
Erysiphales	Erysiphaceae	<i>Erysiphe verbenaes</i>	cimum, Pisum sativum, throughout
Sphaeriales		<i>Eudarluca indica</i>	Edakadu, Nilgiris.
Diatrypales.		<i>Eutypa acharii</i>	Govt., Botanical Garden, Ooty, Nilgiris.
Tremellales	Tremellaceae	<i>Exidia glandulosa</i>	Bharathiar University, Campus,
	Exobasidiaceae	<i>Exobasidium butleri</i>	On uredia of Uredo amoni, Anamalais
	Exobasidiaceae	<i>Exobasidium celtidis</i>	on dead twigs of Rosa sp., in Jorhat,
			Assam (18a); on unidentified host,
			Nilgiris (92:23).
			On leaves of Rhododendron arboreum,
			On leaves of Celtis tetrandra,

	Exobasidiaceae	<i>Exobasidium nilagiricum</i>	On leaves of <i>Cordonia obtusa</i> ,
	Exobasidiaceae	<i>Exobasidium ctreeptatum</i>	On leaves and stems of <i>Vaccinium</i>
	Exobasidiaceae	<i>Exobasidium vaccinii</i>	On leaves and twings of <i>Vaccinium</i>
	Exobasidiaceae	<i>Exobasidium vexans</i>	nielgherrense, Naduvattam and Coonoor
Moniliales	Tuberculariaceae	<i>Exosporium coonoorense</i>	On <i>Thea sinensis</i> , throughout the tea
Ustilaginales	Ustilaginaceae	<i>Farysia emodensis</i>	growing districts of S.India (Subba Rao,
Ustilaginales	Ustilaginaceae	<i>Farysia orientalis</i>	On dead stems, Coonoor (188:60).
Ustilaginales	Ustilaginaceae	<i>Farysia americana</i>	see <i>Melanopsichium emodensis</i> .
Agaricales	Polyporaceae	<i>Favolus gramocephalus</i>	On <i>Carex baccans</i> , Ootacamund (70:130).
Agaricales	Polyporaceae	<i>Favolus jacobaeus</i>	by Mundkur and Thirumalachar (105A:8).
Agaricales		<i>Fayodia bisphaerigera</i>	S. India.
Agaricales		<i>Filibolletus gracilis</i>	S. India (77:1126).
Agaricales	Polyporaceae	<i>Fomes dochmius</i>	Kodaikanal, Tamil Nadu.
Agaricales	Polyporaceae	<i>Fomes pachyphloeus</i>	On rooting wood, near Forest Guest
Agaricales	Polyporaceae	<i>Fomes rimosus</i>	Madras.
Agaricales	Polyporaceae	<i>Fomes semitostus</i>	On <i>Thespesia populnea</i> Cav. Causing
Agaricales	Polyporaceae	<i>Fomitopsis rhodophaea</i>	On <i>Acacia</i> sp., Coimbatore (203:69).
Moniliales	Tuberculariaceae	<i>Fusarium avenaceum</i>	On dead wood, S. India (73:221;
Moniliales	Tuberculariaceae	<i>Fusarium chlamydosporum</i>	on <i>Heritiera minor</i> , Madras (203:71;
Moniliales	Tuberculariaceae	<i>Fusarium chlamydospores</i>	Isolated from black cotton soil,
Moniliales	Tuberculariaceae	<i>Fusarium conglutinans</i>	Isolated from black cotton soil,
Moniliales	Tuberculariaceae	<i>Fusarium dimerum</i>	on tomato causing wilt in Delhi,
Moniliales	Tuberculariaceae	<i>Fusarium equiseti</i>	On <i>Cyamopsis tetragonoloba</i> Coimbatore
Moniliales	Tuberculariaceae	<i>Fusarium equiseti</i>	Isolated from cultivated soil, Coimbatore,
Moniliales	Tuberculariaceae	<i>Fusarium javanicum</i>	Isolated from black cotton soil,
Moniliales	Tuberculariaceae	<i>Fusarium lateritium</i>	On <i>Solanum melongena</i> and <i>Lycopersicon</i>
Moniliales	Tuberculariaceae	<i>Fusarium moniliforme</i>	Isolated from black cotton soil,
Moniliales	Tuberculariaceae	<i>Fusarium moniliforme</i>	on mulberry causing bud blight in
Moniliales	Tuberculariaceae	<i>Fusarium orthoceras</i>	On roots and hypocotyl of <i>Oryza sativa</i>
Moniliales	Tuberculariaceae		and on <i>Saccharum officinarum</i> and
Moniliales	Tuberculariaceae		on cauliflower causing wilt in Nilgiris,
Moniliales	Tuberculariaceae		India (1097); on tomato causing wilt in
Moniliales	Tuberculariaceae		On <i>Cicer arietinum</i> , Madras (185A:36).
Moniliales	Tuberculariaceae		On <i>Acacia holosericea</i> (Jambulingam)
Moniliales	Tuberculariaceae		causing post emergence damping off in
Moniliales	Tuberculariaceae		on <i>Palayamkodom</i> banana causing
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		On <i>Oryza sativa</i> , Coimbatore (185A:32).
Moniliales	Tuberculariaceae		Isolated from soil, Vandalur (116:112).
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		Udumalpet, (175:561; RS.21); Isolated
Moniliales	Tuberculariaceae		Isolated from black cotton soil,
Moniliales	Tuberculariaceae		Isolated from soil, Coimbatore and
Moniliales	Tuberculariaceae		Isolated from soil, Coimbatore and
Moniliales	Tuberculariaceae		On stem and branches of <i>Camellina</i>
Moniliales	Tuberculariaceae		on <i>Gossypium</i> spp., throughout South
Moniliales	Tuberculariaceae		On <i>Cajanus cajan</i> , throughout South

	Moniliales	Dematiaceae	<i>Fusicladium pongamiae</i> <i>Galerina jungicola</i> <i>Galerina rubiginosa</i> <i>Galerina truncata</i> <i>Galerina yungicola</i> <i>Gamblea cornuta</i> <i>Ganoderma lucidum</i> <i>Geaster plicatus</i> <i>Gerronema</i>	on living leaves of Pongamia glabra, On decaying, wood in groups, Forest near Ootacamund, Tamil Nadu. On clayey soil, Madras University On rotting wood, solitary, Naduvattam, on the leaves of Mahonia leschenaultii, On Acacia melanoxylon, Nilgiris, on the ground, Madras (11:399). On soil among moss, Manjankorai, On the leaves of Vaccinium leschnaultii, Kodaikanal (126:64 as Achorella vaccinii Isolated from rhizosphere, Madras. On leaves of Artocarpus integrifolia, On fruits of Musa paradisiaca, S. India. On Psidium guajava, Pollachi. On leaves of Coelogyne sp., Ambillimalai On trunks, Nilgiris (47:105). On Opuntia elatior Mill. In Tamil Nadu on dead leaves in Kodaikanal, Tamil On leaves of Beilschmidia roxburghiana, On leaves of Phoenix sylvestris, On fruits of Vitis vinifera, Ganguvarpatty, On leaves of a Papilionaceous plant, On leaves of Rubus rugosa, Ootacamund On decaying wood of Eucalyptus tree, in groups , Doddabetta, Ootacamund, On decaying Eucalyptus tree trunk, in groups, Doddabetta, Ootacamund, On dead wood, in groups, near Berijam On decaying wood, in groups, New Pine Plantation, Karimedu, Kodaikanal, Tamil On wood , in groups, Indian Institute of On rooting log, in groups, Teak On unidentified wood, solitary, Indian Institute of Technology campus, Guindy, On the trunk of Peltophorum ferrugineum Benth., Madras University campus, On leaves of Toddalia asiatica, On leaves of Rubus sp., Wynad on leaves of Rubus lasiocarpus, Anamalais On twigs of Acacia leucophloea, Salem and Coimbatore (213:265 as On leaves of Derris eualata, Anamalais On dead stem, Sim's Park, Coonoor, see Hapalophragmiopsis ponderosa On trunks, Nilgiris, Tamil Nadu. On litter, in groups, IIT campus, Guindy, On dead moist wood, Madras. On stems and roots of Medicago sativa, Isolated from rhizosphere, Madras.
	Basidiomycetes.	Agaricales		
	Basidiomycetes	Uredinales	Pucciniaceae	
		Agaricale	Polyporaceae	
		Lycoperdales.		
		Agaricales		
	Sphaeriales			
	Moniliales	Moniliaceae	<i>Gibba ramakrishnanii</i> <i>Gliocladium fimbriatum</i> <i>Gloeosporium artocarpi</i> <i>Gloeosporium musarum</i> <i>Gloeosporium psidii</i> <i>Gloeosporium zonatum</i> <i>Gloeoporoporus corrugatus</i> <i>Glomeralla cingulata</i> <i>Gnomonia kodaikanalensis</i> <i>Goplana indica</i> <i>Graphiola phoenicis</i> <i>Guignardia bidwellii</i> <i>Guignardia nilagirica</i> <i>Guignardia rugosa</i>	Isolated from rhizosphere, Madras. On leaves of Artocarpus integrifolia, On fruits of Musa paradisiaca, S. India. On Psidium guajava, Pollachi. On leaves of Coelogyne sp., Ambillimalai On trunks, Nilgiris (47:105). On Opuntia elatior Mill. In Tamil Nadu on dead leaves in Kodaikanal, Tamil On leaves of Beilschmidia roxburghiana, On leaves of Phoenix sylvestris, On fruits of Vitis vinifera, Ganguvarpatty, On leaves of a Papilionaceous plant, On leaves of Rubus rugosa, Ootacamund On decaying wood of Eucalyptus tree, in groups , Doddabetta, Ootacamund, On decaying Eucalyptus tree trunk, in groups, Doddabetta, Ootacamund, On dead wood, in groups, near Berijam On decaying wood, in groups, New Pine Plantation, Karimedu, Kodaikanal, Tamil On wood , in groups, Indian Institute of On rooting log, in groups, Teak On unidentified wood, solitary, Indian Institute of Technology campus, Guindy, On the trunk of Peltophorum ferrugineum Benth., Madras University campus, On leaves of Toddalia asiatica, On leaves of Rubus sp., Wynad on leaves of Rubus lasiocarpus, Anamalais On twigs of Acacia leucophloea, Salem and Coimbatore (213:265 as On leaves of Derris eualata, Anamalais On dead stem, Sim's Park, Coonoor, see Hapalophragmiopsis ponderosa On trunks, Nilgiris, Tamil Nadu. On litter, in groups, IIT campus, Guindy, On dead moist wood, Madras.
	Basidiomycetes	Agaricales		<i>Gymnopilus spectabilis</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus giganteus</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus chrysopellus</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus sub-bellulus</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus fuscosquamulosus</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus subtropicus</i>
	Basidiomycetes	Agaricales		<i>Gymnopilus sapineus</i>
	Basidiomycetes	Agaricales	Pucciniaceae	<i>Gymnopilus tropicus</i> <i>Gymnopuccinia pulneyensis</i>
		Uredinales	Pucciniaceae	
		Uredinales	Pucciniaceae	<i>Hamaspora longissima</i>
		Uredinales	Pucciniaceae	<i>Hapalophragmiopsis ponderosa</i>
		Uredinales	Pucciniaceae	<i>Hapalophragmum anamalaiensis</i>
		Uredinales	Pucciniaceae	<i>Hapalophragmum fasciculatum</i>
		Uredinales	Pucciniaceae	<i>Hapalophragmum ponderosum</i>
		Agaricales		<i>Hebeloma caterarium</i>
	Basidiomycetes	Agaricales	Tremellaceae	<i>Hebelomina maderaspatana</i>
			Tremellaceae	<i>Helicobasidium guianensis</i>
			Dematiaceae	<i>Helicobasidium purpureum</i>
		Moniliales	Dematiaceae	<i>Helminthosporium anomalum</i>
		Moniliales	Dematiaceae	<i>Helminthosporium coonoorense</i>

Moniliales	Dematiaceae	<i>Helminthosporium solani</i>	on Solanum elaeognifolium causing leaf
Moniliales	Dematiaceae	<i>Helicoceras longisporum</i>	On leaves of Celtis serotina, Coonoor
Moniliales	Dematiaceae	<i>Helminthosporium albizzicolum</i>	see Camptomeris albizzicola (232:67).
Moniliales	Dematiaceae	<i>Helminthosporium halodes</i>	On seedlings of Saccharum officinarum,
Moniliales	Dematiaceae	<i>Helminthosporium microsporum</i>	Isolated from soil, Vandalur (116:112).
Moniliales	Dematiaceae	<i>Helminthosporium nodulosum</i>	On Eleusine coracana, throughout S. India
Moniliales	Dematiaceae	<i>Helminthosporium oryzae</i>	(25:341); isolated from soil, Vandalur
Moniliales	Dematiaceae	<i>Helminthosporium turicum</i>	On Oryza sativa, throughout S. India.
Uredinales	Pucciniaceae	<i>Hemileia jasmini</i>	On leaves of Sorghum vulgare,
Uredinales	Pucciniaceae	<i>Hemileia vastatrix</i>	On leaves of Jasminum ritchei Yercaud,
Uredinales	Pucciniaceae	<i>Hemileia wrightiae</i>	On leaves of Coffea arabica and C.
Agaricales		<i>Hemimycena indica</i>	liberica, throughout the coffee area of S.
Pleosporales.		<i>Herpotrichia erythrinae</i>	On leaves of Wrightia tictoria, Walayar
Tremellales	Tremellaceae	<i>Heterochaete delicata</i>	(Kerala) and Wrightia tomentosa, Kallar
Moniliales	Dematiaceae	<i>Heterosporium echinulatum</i>	On rooting fallen trunk, Senkaltheri,
Agaricales	Polyporaceae.	<i>Heteropeltella indica</i>	Annamalai Nadar Estate, Kalakadu
Agaricales	Polyporaceae.	<i>Hexagonia apiaria</i>	On unidentified host in M.P., Tamil
Agaricales		<i>Hexagonia tenius</i>	on rotten Jatropha curcas, Madras and on
Agaricales		<i>Hohenbuehelia atrocaerulea</i>	On leaves of Dianthus caryophyllus
Agaricales		<i>Hohenbuehelia petaloidea</i>	on dry dead twigs of Eugenia jamabolana
Dothideales	Phyllochloraceae	<i>Hohenbuehelia myxotricha</i>	Madras (203:74).
Dothideales	Phyllochloraceae	<i>Homostegia derridis</i>	see Daedalopsis tenius.
Agaricales	Hydnaceae	<i>Homostegia symploci</i>	On twigs in the fence near the State Guest
Agaricales	Hydnaceae	<i>Hydnnum analogum</i>	On dead tree trunk, Indian Institute of
Agaricales	Hydnaceae	<i>Hydnnum delicatulum</i>	On fallen twigs, Indian Institute of
Agaricales	Hydnaceae	<i>Hydnnum lachnodontium</i>	On living leaves of Derris heyneana,
Agaricales	Hydnaceae	<i>Hydnnum thwaitesii</i>	On living leaves of Symplocos spicata,
Moniliales	Moniliaceae	<i>Hyalostachybotrys bisbyi</i>	On rotten wood, Nilgiris, (49:1).
Moniliales	Moniliaceae	<i>Hyalostachybotrys sacchari</i>	See HETEROCHAETE Pat.
Agaricales		<i>Hygrocybe ceracea</i>	On logs, Nilgiris (49:2).
Agaricales		<i>Hygrocybe chlorophana</i>	Nilgiris (13:58).
Agaricales		<i>Hygrocybe fornicate</i>	Isolated from rhizosphere soil of
Agaricales		<i>Hygrocybe miniata</i>	On living and dead sheaths of Sachharum
Agaricales		<i>Hygrocybe westii</i>	officinarium L., Cuddalore, S. India ;
Agaricales	Thelephoraceae	<i>Hygrotrama pedicellata</i>	On soil, near Kil-kotagiri, Ootacamund,
Agaricales		<i>Hymenochaete rheicolor</i>	On soil mixed with litter, Madras
Hypocreales		<i>Hypocrea flavo-virens</i>	On ground among grass, Mel Odayaratty,
Hypocreales		<i>Hypocrea neilgherrensis</i>	On soil mixed with litter, Tiger Shola,
Hypocreales		<i>Hypocrea rugulosa</i>	On ground among grass, Mel Odayaratty,
Hypocreales		<i>Hypocrea subrufa</i>	On soil mixed with litter, Madras
Hypocreales		<i>Hypocreopsis undulata</i>	Christian College campus, Tambaram,
Phacidiales	Phaciidaeae	<i>Hypoderma leschnaultiae</i>	On dead trunks, Gudalur, Nilgiris (92:23).
Phacidiales	Phaciidaeae	<i>Hypoderma viburni</i>	On bark, Nilgiris (39A:100).
Phacidiales	Phaciidaeae	<i>Hypodermella rhamni</i>	On bark, Nilgiris, (39A:79).
Hemisphaeriales		<i>Hysterostoma brevilobi</i>	On bark of trees, Nilgiris (39A:79).
			On branches, Nilgiris (39A:79).
			On rotten wood, Nilgiris, (39A:79).
			On living leaves of Lonicera leschnaultii,
			On living leaves of Viburnum erubescens,
			On living leaves of Rhamnus sp., Pillar
			On leaves of Jasminum brevilobum,

Hemisphaeriales		<i>Hysterostoma pavettae</i>	
Agaricales	Basidiomycetes.	<i>Inocybe corydalina</i>	On leaves of Pavetta indica, Kallar-Ootacamund, Tamil Nadu.
Agaricales	Basidiomycetes.	<i>Inocybe flocculosa</i>	Ootacamund, Tamil Nadu.
Agaricales	Basidiomycetes.	<i>Inocybe petiginosa</i>	On seedlings of Pinus patula Roxb.
Agaricales	Basidiomycetes.	<i>Inocybe microspora</i>	On ground, solitary, Dolphin's nose,
Agaricales	Basidiomycetes.	<i>Inocybe lanuginosa</i>	On Pinus patula Roxb., Sandynallah, On deciduous, angiospermic, tree barks, kalakkadu sanctuary, Thirunelveli, Tamil
Moniliales	Stilbaceae	<i>Inonotus polymorphus</i>	On the dry inflorescence of Cocos
Moniliales	Stilbaceae	<i>Isaria palmae</i>	On the leaves of Phaseolus vulgaris, in Coimbatore (508).
Meliolales		<i>Isariopsis griseola</i>	in Coimbatore (508).
Meliolales		<i>Irenopsis helicteridis</i>	
Meliolales		<i>Irenopsis sidae</i>	
Meliolales		<i>Irenopsis tibodense</i>	
Moniliales	Dematascaceae	<i>Ithyphallus aurantiacus</i>	
Sphaerales		<i>Iyengarina elegans</i>	
Eurotiales	Gomphaceae	<i>Julella sarcostemmatis</i>	
	Eurotiaceae	<i>Kavinia globispora</i>	
Uredinales		<i>Kernalla lauricola</i>	
Monialiales	Tuberculariaceae	<i>Koorschaloma madreeya</i>	
Uredinales,	Melampsoraceae	<i>Kuehneola trichosanthes</i>	
Basidiomycetes			
Agaricales		<i>Kuehneromyces terrestris</i>	
Moniliales	Tuberculariaceae	<i>Kutilakesa madreeya</i>	
Laboulbeniales	Laboulbeniaceae	<i>Laboulbenia dineutis</i>	
Agaricales		<i>Laccaria laccata</i>	
Agaricales		<i>Laccaria ohiensis</i>	
Moniliales	Dematiaceae	<i>Lacellina graminicola</i>	
Moniliales	Dematiaceae.	<i>Lacellinopsis sacchari</i>	
Helotiales		<i>Lachnella nilgherrensis</i>	
Sphaerales		<i>Laestadia alternantherae</i>	
Hemisphaeriales		<i>Lembosia malabarensis</i>	
Agaricales	Agaricaceae.	<i>Lentinus cladopus</i>	
Agaricales	Agaricaceae.	<i>Lentinus crinitus</i>	
Agaricales	Agaricaceae.	<i>Lentinus prolifer</i>	
Agaricales	Agaricaceae.	<i>Lentinus sajor – caju</i>	
Agaricales	Agaricaceae.	<i>Lentinus squarrosulus</i>	
Agaricales	Agaricaceae	<i>Lepiota alopochroa</i>	
Agaricales	Agaricaceae	<i>Lepiota alopochroa</i>	
Agaricales	Agaricaceae	<i>Lepiota ceramogenes</i>	
Agaricales	Agaricaceae	<i>Lepiota citrophylla</i>	
Agaricales	Agaricaceae	<i>Lepiota epicharis</i>	
Agaricales	Agaricaceae	<i>Lepiota epicharis</i>	
Agaricales	Agaricaceae	<i>Lepiota holospilota</i>	

Agaricales	Agaricaceae	<i>Lepiota lepidophora</i>	On soil, Indian Institute of Technology
Agaricales	Agaricaceae	<i>Lepiota metulaespora</i>	On soil, Raj Bhavan campus, Guindy,
Agaricales	Agaricaceae	<i>Lepiota micropholis</i>	On soil, Deer Park, Guindy,
Agaricales	Agaricaceae	<i>Lepiota micropholia</i>	On soil, Indian Institute of Technology
Agaricales	Agaricaceae	<i>Lepiota phaeosticta</i>	On soil, Deer Park, Guindy, Madras,
Agaricales	Agaricaceae	<i>Lepiota phlyctaenodes</i>	On soil, near Guest House, Senkaltheri,
Agaricales	Agaricaceae	<i>Lepiota subamantiformis</i>	On soil, Indian Institute of Technology
Agaricales	Agaricaceae	<i>Lepiota subrufa</i>	On soil, Indian Institute of Technology
Agaricales	Agaricaceae	<i>Lepiota thrombophora</i>	On soil, Indian Institute of Technology
Agaricales	Agaricaceae	<i>Lepista sordida</i>	On elephant dung manure, Deer Park,
Sphaeriales		<i>Leptosphaeria sacchari</i>	On leaves of <i>Saccharum officinarum</i> , On <i>Trigonella foenumgraceum</i> Udu malpet Coimbatore . On <i>Cymopsis tetragonoloba</i> ,
Erysiphales	Erysiphaceae	<i>Leveillula taurica</i>	Coimbatore on <i>Capsicum annum</i> , see <i>Melanopsichium emodensis</i> .
Erysiphales	Erysiphaceae	<i>Leveillula emodensis</i>	On soil in a pine plantation, near
Agaricales		<i>Leucoagaricus fuligineus</i>	On elephant dung, Deer Park, Guindy,
Agaricales		<i>Leucoagaricus naucinus</i>	On soil, Madras Christian College
Agaricales		<i>Leucocoprinus birnbaumii</i>	campus; on the bark of <i>Mangifera indica</i>
Agaricales		<i>Leucocoprinus caepaestipus</i>	On the trunk of <i>Tabebuia</i> sp. , Madras
Agaricales		<i>Leucocoprinus flavipes</i>	On soil mixed with litter, Post-graduate
Agaricales		<i>Leucocoprinus tropicus</i>	On soil, Raj Bhavan campus, Guindy,
Moniliales	Tuberculariaceae	<i>Lomachashaka kera</i>	On dead leaves of <i>Cocos nucifera</i> ,
Phacidiales	Phaciidaeae	<i>Lophodermium hysteroides</i>	University Botany Laboratory Campus,
Lycoperdales	Lycoperdaceae	<i>Lycoperdon alveolatum</i>	On coriaceous leaves, Nilgiris (92 : 23).
Lycoperdales	Lycoperdaceae	<i>Lycoperdon gemmatum</i>	On the ground, Nilgiris (68 : 163).
Sphaeropsidales		<i>Macrophoma boerhaaviae</i>	Botanical garden; Ootacamund (77 :
Sphaeropsidales		<i>Macrophoma cassiocarpa</i>	On living leaves of <i>Boerhaavia diffusa</i> ,
Sphaeropsidales		<i>Macrophoma celastrina</i>	On legumes of <i>Cassia absus</i> and <i>Clitoria</i>
Sphaeropsidales		<i>Macrophoma clitoricarpa</i>	On leaves of <i>Celastrus paniculata</i> , Kallar,
Sphaeropsidales		<i>Macrophoma glochidii</i>	On legumes of <i>Clitoria</i> sp., Madras (38 :
Sphaeropsidales		<i>Macrophoma glycosmidis</i>	On living leaves of <i>Glochidion ellipticum</i> ,
Sphaeropsidales		<i>Macrophoma gordoniae</i>	On living leaves of <i>Glycosmis</i>
Sphaeropsidales		<i>Macrophoma morindae</i>	On the living leaves of <i>Gordonia obtusa</i> ,
Sphaeropsidales		<i>Macrophoma musae</i>	On living leaves of <i>Morinda tinctoria</i> ,
Sphaeropsidales		<i>Macrophoma pyrenacanthae</i>	see <i>Phyllastictina musae</i> .
Sphaeropsidales		<i>Macrophoma sapindi</i>	On living leaves of <i>Pyrenacantha</i>
Sphaeropsidales		<i>Macrophoma theicola</i>	On living leaves of <i>Sapindus</i>
Sphaeropsidales		<i>Macrophoma theicola</i>	On <i>Thea sinensis</i> , Nilgiris.
Sphaeropsidales		<i>Macrophoma toddaliae</i>	On tea, Nilgiris (243 : 5).
Sphaeropsidales	Sphaerioidaceae	<i>Macrophomina phaseoli</i>	On living leaves of <i>Toddalia asiatica</i>
Sphaeropsidales	Sphaerioidaceae	<i>Macrophomina phaseoli</i>	On numerous hosts, S. India (170:119).
Agaricales			Vandalur (Madras) (116:112).
Basidiomycetes	Agaricales	<i>Macrolepiota rhacodes</i>	On soil among grass, Post-graduate
		<i>Maliolina subramanianii</i>	Women's Hostel Campus, Madras
		<i>Melanotus macrosporus</i>	on leaves of <i>Syzgium montanum</i> in Tamil
	Agaricales	<i>Marasmiellus subcinereus</i>	On unidentified dicotyledon tree trunk, solitary, Forest near Gandhipettai,
			On fallen twigs and leaf litter, Indain
			Institute of Tehnology campus, Madras;
			Madras Christian College campus,

Uredinales		<i>Maravalia ascotela</i>	On the leaves of Oldenlandia stylosa and O. articularis, Kodaikanal and
Agaricales		<i>Marasmius apatelius</i>	On fallen dicot leaves, Algar Hills,
Agaricales		<i>Marasmius bambusinus</i>	On litter of Gymnosperm tree, Bryant
Agaricales		<i>Marasmius beniensis</i>	On leaf litter, Courtallam, Tamil Nadu;
Agaricales		<i>Marasmius conicopapillatus</i>	On litter, Presidency College Hostel fence,
Agaricales		<i>Marasmius confertus</i>	On leaf litter, Alagar, Hills, Madurai,
Agaricales		<i>Marasmius candidus</i>	On dicot leaf litter, Guindy, Madras ,
Agaricales		<i>Marasmius confertus</i>	On leaves of Eleusine coracana Goertn.,
Agaricales		<i>Marasmius conicopapillatus</i>	On dicot leaf litter, Deer Park, Guindy,
Agaricales		<i>Marasmius digilioi</i>	On leaf litter, Alagar Hills, Madurai,
Agaricales		<i>Marasmius echinatulus</i>	On litter, Indian Institute of Technology
Agaricales		<i>Marasmius ferrugineus</i>	On dicot leaf litter, Post-graduate
Agaricales		<i>Marasmius floriceps</i>	Women's Hostel campus, Chepauk;
Agaricales		<i>Marasmius guyanensis</i>	Indian Institute of Technology campus,
Agaricales		<i>Marasmius haematocephalus</i>	Deer Park, Raj Bhavan campus, Guindy;
Agaricales		<i>Marasmius hakgalensis</i>	On grass, Post-graduate Women's Hostel
Agaricales		<i>Marasmius heliomycetes</i>	On soil mixed with litter at the base of
Agaricales		<i>Marasmius leoninus</i>	Vitex negundoLinn., Madras University
Agaricales		<i>Marasmius leveilleanus</i>	On dried dung, Indian Institute of
Agaricales		<i>Marasmius leucorotalis</i>	On fallen dead leaves, sticks, wooden
Agaricales		<i>Marasmius leucorotalis</i>	twigs and rotting pieces of wood, Deer
Agaricales		<i>Marasmius megistosporus</i>	On dried palm fruit, Deer Park, Guindy,
Agaricales		<i>Marasmius microhaedinus</i>	On the bark of the living Gauzoma
Agaricales		<i>Marasmius nilgiriensis</i>	tomentosa tree, Indian Institute of
Agaricales		<i>Marasmius rotalis</i>	On leaf litter, Indian Institute of
Agaricales		<i>Marasmius rubroflavus</i>	Technology campus, Madras; on palm
Agaricales		<i>Marasmius spegazzini</i>	On decaying wood in soil, Theosophical
Agaricales		<i>Marasmius subarborescens</i>	On leaf litter, Indian Institute of
Melanconiales		<i>Marssonina fragariae</i>	On fallen dicot leaves, Deer Park, Guindy,
Sphaeriales		<i>Massarina sarcostemmatis</i>	On leaf litter, Courtallam, Tamil Nadu.
Uredinales		<i>Melampsora ricini</i>	On soil mixed with leaf litter, Madras
Uredinales		<i>Melampsora lini</i>	University campus, Chepauk, Madras,
Uredinales		<i>Melampsora salicis-albae</i>	On rotting wood, forest near Gandhipettai,
Uredinales	Ustilaginaceae	<i>Melampsora stereospermi</i>	On leaf litter and on fallen twigs, Indian
Uredinales	Ustilaginaceae	<i>Melanopsichium emodensis</i>	Institute of Technology campus,
Hypocreales	Tilletiaceae	<i>Melanospore brevirostrata</i>	On leaf litter, Algar Hills, Madurai, Tamil
Ustilaginales	Tilletiaceae	<i>Melanotaenium brachiariae</i>	On leaf litter, Courtallam Main Falls,
			On the bark as well as at the base of the
			living Vitex negundo Linn., Madras
			On living leaves of Fragaria
			On living stems of Sarcostemma
			On leaves of Ricinus communis,
			On leaves and stems of Linum
			On leaves of Salix babylonica and S.
			tetrasperma, Ootacamund, Perur
			On leaves of Stereospermum tetragonum,
			Gudalur (Madras) (138:51).
			On Polygonum chinense, Coimbatore
			Isolated from the rhizosphere of crop
			On leaves and sheaths of Brachiaria

	Strophariaceae	<i>Melanotus macrosporus</i>	on dicotyledonous tree trunk in Tamil
Erysiphales	Meliolaceae	<i>Meliola bambusicola</i>	On Bambusa sp., Dodabetta, Ootacamund
Erysiphales	Meliolaceae	<i>Meliola malabarensis</i>	in coimbatore (508).
Erysiphales	Meliolaceae	<i>Meliola malacotricha</i>	in Coimbatore (508).
Erysiphales	Meliolaceae	<i>Meliola mangiferae</i>	in Coimbatore (508).
Erysiphales	Meliolaceae	<i>Meliola ramacharii</i>	on leaves of <i>Persea macrantha</i> (Nees)
Erysiphales	Meliolaceae	<i>Meliola osyridicola</i>	On <i>Osyris arborea</i> , Nanjanad, Nilgiris
Erysiphales	Meliolaceae	<i>Meliola opiliae</i>	On leaves of <i>Opilia armentacea</i> ,
Erysiphales	Meliolaceae	<i>Meliola semecarpi-anacardii</i>	in Kerala, Karnataka and Tamil Nadu
Erysiphales	Meliolaceae	<i>Meliola serjaniae</i>	in kerala, Karanataka and Tamil Nadu
Erysiphales	Meliolaceae	<i>Meliola staphaniae</i>	in Coimbatore (508).
Erysiphales	Meliolaceae	<i>Meliola staphyleacearum</i>	on leaves of <i>Turpinia</i> in Tamil Nadu.
Erysiphales	Meliolaceae	<i>Microascus longirostris</i>	in Kerala, Karnataka and Tamil Nadu
Erysiphales	Meliolaceae	<i>Microascus sordidus</i>	in Kerala, Karnataka and Tamil Nadu
Moniliales	Dematiceae	<i>Microcyclus phoebe</i>	Isolated from soil, Vandalur, Madras
Moniliales	Dematiceae	<i>Micromphale perforans</i>	On dead stems, Thanthipandal,
phaeriales		<i>Microstroma albizziae</i>	On dead twigs of <i>Crossandra undulaefolia</i>
Eurotiales	Eurotiaceae	<i>Microsphaera acaciae</i>	Isolated from rhizosphere soil of pigeon
Dothideales	Dothideacea	<i>Microsphaera begoniae</i>	
Dothideales	Dothideacea	<i>Microsphaera diffusa</i>	
Agaricales		<i>Microsphaera pseudolonicerae</i>	
Melanconiales.		<i>Microsphaera trifolii</i>	
Erysiphales		<i>Micropsalliota cystidiosa</i>	
Erysiphales		<i>Microthyrium annuliforme</i>	
Erysiphales		<i>Mollisia cornea</i>	
Erysiphales		<i>Mucor glomerula</i>	
Erysiphales		<i>Mucor jansseni</i>	
Erysiphales		<i>Mucor spinescens</i>	
Agaricales	Hemisphaeriales	<i>Mucor plumbeus</i>	
Agaricales	Microthyriaceae	<i>Mucor racemosus</i>	
Sphaeriales		<i>Mycena alcalina</i>	
Sphaeriales		<i>Mycenella bryophila</i>	
Sphaeriales		<i>Mycosphaerella agapanthi</i>	
Sphaeriales		<i>Mycosphaerella agapanthi-umbelli</i>	
Sphaeriales		<i>Mycosphaerella brassicicola</i>	
Sphaeriales		<i>Mycosphaerella exaci</i>	
Sphaeriales		<i>Mycosphaerella gleicheniae</i>	
Sphaeriales		<i>Mycosphaerella meliosmae</i>	
Sphaeriales		<i>Mycosphaerella melothriae</i>	
Ustilaginales	Ustilaginaceae	<i>Mycosyrinx arabica</i>	
Moniliales.		<i>Myrothecium rodium</i>	
Basidiomycetes	Agaricales	<i>Naematoloma fasciculare</i>	
	Agaricales	<i>Naematoloma subviride</i>	

Moniliales	Tuberculariaceae	<i>Nalanthamala madreeya</i>	On dead twigs, University Botany Nilgiris (39A:81).
Hypocreales		<i>Nectria alutacea</i>	On bark, Nilgiris (39A: as <i>Dialonectria</i> on <i>Bambusa</i> sp., S. India (113:191).
Hypocreales		<i>Nectria lacitulva</i>	On herbaceous stems, Nilgiris (39A as
Hypocreales		<i>Nectria vilis</i>	On soil, Mamandur, S. Arcot, South India
Hypocreales		<i>Nectria xanthostigma</i>	On leaves of <i>Curcuma amada</i> , Madras
Dothideales		<i>Neotestudina cunnighamiae</i>	On leaves of <i>Syzygium jambolanum</i>
Sphaeropsidales	Sphaeriadaceae	<i>Neottiospora curcumiae</i>	On roots and cotyledons of <i>Cicer arietinum</i> , Coimbatore; <i>Cajanus cajan</i> ,
Melanconiales		<i>Neobarclaya congesta</i>	On <i>Oryza sativa</i> , Madras (Padwick: in <i>Accai menzelii</i> Black plantation,
Hypocreales		<i>Neocosmospora vasinfecta</i>	On ground, Bear Shola, Kodaikanal,
Moniliales	Dematiaceae	<i>Nigrospora oryzae</i>	in <i>Acacia</i> plantation, Palani Hills,
Agaricales		<i>Nolanea maderaspatana</i>	on living leaves of <i>Schefflera stellata</i>
Agaricales		<i>Nolanea mammifera</i>	On leaves of <i>Heptapleurum</i> sp., Burliar
Agaricales		<i>Nolanea sericea</i>	Isolated from the rhizosphere of crop
Uredinales		<i>Nyssopsis schefflerae</i>	see <i>Leveillula taurica</i> .
Uredinales		<i>Nyssopsis thwaitesii</i>	In Coimbatore , Tamil Nadu (1027).
Moniliales	Moniliaceae	<i>Oedocephalum coprophilum</i>	In Ootacamund , Tamil Nadu (1027).
Moniliales		<i>Oiidopsis taurica</i>	in Madras (1027).
Moniliales		<i>Oiidopsis taurica</i>	Vadavalli, Coimbatore.
Moniliales		<i>Oiidopsis taurica</i>	P. N. Pudur, Coimbatore.
Moniliales		<i>Oiidopsis taurica</i>	Bharathiar University Campus,
Moniliales		<i>Oiidopsis macrospora</i>	Sri Madurai, Nilgiris.
Moniliales		<i>Oidium abelmoschi</i>	Theppakkadu, Nilgiris.
Moniliales		<i>Oidium abri</i>	Karur Trichy District.
Moniliales		<i>Oidium abutili</i>	Kallar Fruit Station, Coimbatore.
Moniliales		<i>Oidium acalyphae</i>	Alanthurai, Coimbatore.
Moniliales		<i>Oidium acanthospermi</i>	BSI Garden, Coimbatore.
Moniliales		<i>Oidium agerati</i>	Kongundau Arts and Science College
Moniliales		<i>Oidium ailanthi</i>	Kodanadu, Nilgiris.
Moniliales		<i>Oidium azadirachtae</i>	Nilgiris.
Moniliales		<i>Oidium bauhiniae</i>	Yercaud.
Moniliales		<i>Oidium balakrishnanii</i>	in Tamil Nadu (520).
Moniliales		<i>Oidium bauchiniae</i>	Walayar, Coimbatore.
Moniliales		<i>Oidium betulacearum</i>	Coimbatore.
Moniliales		<i>Oidium betulacearum</i>	P. N. Pudur, Coimbatore.
Moniliales		<i>Oidium bixae</i>	Maruthamalai, Coimbatore.
Moniliales		<i>Oidium braunii</i>	Tamil Nadu.
Moniliales		<i>Oidium caricae – papayae</i>	Kotagiri, Nilgiris.
Moniliales		<i>Oidium cassiae – hirstuae</i>	BSI Garden, Coimbatore.
Moniliales		<i>Oidium cassiae – siameae</i>	Tamil Nadu Agricultural University
Moniliales		<i>Oidium citri</i>	Pudur Coimbatore.
Moniliales		<i>Oidium clitoriae</i>	Mamaram, Nilgiris.
Moniliales		<i>Oidium coriandri</i>	Kaveripattinam, Dharmapuri.
Moniliales		<i>Oidium fabacearum</i>	in Nederlandsch-India. P. 91, Buiten-zorg
Moniliales		<i>Oidium greviicola</i>	1925; Bharathiar University campus,
Moniliales		<i>Oidium heliotropii</i>	Bryant Park, Kodaikanal.
Moniliales		<i>Oidium heveae</i>	BSI Garden, Coimbatore.
Moniliales		<i>Oidium hiratae</i>	Bharathiar University campus,
Moniliales		<i>Oidium hortensiae</i>	
Moniliales		<i>Oidium indigoferae</i>	

Moniliales	<i>Oidium ipomoeae</i>	Yercaud.
Moniliales	<i>Oidium jatropheae</i>	Kotagiri, Nilgiris.
Moniliales	<i>Oidium kydiae</i>	Sri Madurai, Nilgiris.
Moniliales	<i>Oidium lagascae</i>	BSI Garden, Coimbatore.
Moniliales	<i>Oidium leptadeniae</i>	Koottupulikadu, Coimbatore.
Moniliales	<i>Oidium mangiferae</i>	Valparai, Coimbatore.
Moniliales	<i>Oidium manihotica</i>	Kotagiri, Nilgiris.
Moniliales	<i>Oidium malachrae</i>	Coimbatore. on leaves of Malachra capitata in Tamil Nadu (526); on Malachra capitata causing powdery mildew in Coimbatore, in Tamil Nadu (507).
Moniliales	<i>Oidium malachrae</i>	Kovai Coutrallum, Coimbatore.
Moniliales	<i>Oidium moringae</i>	on young leave of Murraya in Tamil Nadu (547).
Moniliales	<i>Oidium murrayae</i>	BSI Garden, Coimbatore.
Moniliales	<i>Oidium murrayae</i>	on living leaves of Mirabilis jalapa L. in Coimbatore, Tamil Nadu (505).
Moniliales	<i>Oidium paniculatum</i>	R. S. Puram, Coimbatore.
Moniliales	<i>Oidium nyctaginacearum</i>	on Ocimum tenuiflorum causing powdery mildews in nursery and garden plants, Bharathiar University Campus, in nursery and garden plants, Coimbatore Yercaud, Tamil Nadu.
Moniliales	<i>Oidium nyctaginacearum</i>	on leaves of Passiflora foetida in Tamil Coimbatore.
Moniliales	<i>Oidium powdery mildew</i>	TNAU Campus, Coimbatore.
Moniliales	<i>Oidium ocimi</i>	BSI Garden, Coimbatore.
Moniliales	<i>Oidium ocini</i>	In Coimbatore (194)
Moniliales	<i>Oidium parkinsoniae</i>	BSI Garden, Coimbatore.
Moniliales	<i>Oidium parkinsoniae</i>	on leaves of Rosa indica in Tamil Nadu (519) ; on young leaves of Rosa indica Anamalais, Coimbatore.
Moniliales	<i>Oidium passifloracearum</i>	BSI Garden, Coimbatore.
Moniliales	<i>Oidium passifloracearum</i>	in Coimbatore. (194).
Moniliales	<i>Oidium pavoniae</i>	Siruvani , Coimbatore.
Moniliales	<i>Oidium peltophori</i>	Mettupalayam, Coimbatore.
Moniliales	<i>Oidium pentatropidis</i>	Bharathiar University Campus,
Moniliales	<i>Oidium pentatropidis</i>	Siruvani, Coimbatore.
Moniliales	<i>Oidium ramakrishnanii</i>	BSI Campus, Coimbatore.
Moniliales	<i>Oidium rosaceaarum</i>	Bharathiar University Campus, Kotagiri, Nilgiris.
Moniliales	<i>Oidium rosaceaarum</i>	Kodaikanal.
Moniliales	<i>Oidium saeforthianii</i>	in Kodaikanal Hills, Tamil Nadu (120).
Moniliales	<i>Oidium santalacearum</i>	Kolli Hills, Salem District.
Moniliales	<i>Oidium santalacearum</i>	Ooty, Nilgiris.
Moniliales	<i>Oidium schmiedeknechti</i>	Mettupalayam, Coimbatore.
Moniliales	<i>Oidium scopariae</i>	In Valparai, Tamil Nadu (501).
Moniliales	<i>Oidium sesami</i>	Madras Christian College campus,
Moniliales	<i>Oidium stachytarphetae</i>	On ground, Doddabetta, Ootacamund,
Moniliales	<i>Oidium tamarindi</i>	
Moniliales	<i>Oidium tingitanum</i>	
Moniliales	<i>Oidium trichiliae</i>	
Moniliales	<i>Oidium udaiyanii</i>	
Moniliales	<i>Oidium udaiyanii</i>	
Moniliales	<i>Oidium urenae</i>	
Moniliales	<i>Oidium violae</i>	
Moniliales	<i>Oidium zizyphi</i>	
Uredinales	<i>Olieva isonandrae</i>	
Agaricales	<i>Omphalotus olearius</i>	
Agaricales	<i>Omphalotus radicata</i>	

Moniliales	Moniliaceae.	<i>Oncopodium indicum</i>	in Wrangal, Tamil Nadu (1695).
Moniliales		<i>Oospora lactis</i>	Madras.
Polystimatales.		<i>Ophiodothella calami</i>	in Coimbatore, Tamil Nadu . (512).
Polystimatales.		<i>Ophiodothella fici</i>	In Coimbatore, Tamil Nadu (1002).
Pleosporales		<i>Oothis pulneyensis</i>	on dead wood in Tamil Nadu (1017).
Erysiphales		<i>Ovulariopsis gmelinae – arboreae</i>	Kombaikadu, Kodaikanal.
Erysiphales		<i>Ovulariopsis lawsoniae</i>	Kanuvai, Coimbatore.
Basidiomycetes	Agaricales,	<i>Panaeolus antillarum</i>	On elephant dung, in groups, Children's
Basidiomycetes	Agaricales,	<i>Panaeolus subbalteatus</i>	On elephant dung, in groups, Deer Park,
Basidiomycetes	Agaricales,	<i>Panaeolus sphinctrinus</i>	On ground, solitary, 1972 Pine
Basidiomycetes	Agaricales,	<i>Panaeolus annulatus</i>	On elephant dung, Children's Park,
Basidiomycetes	Agaricales,	<i>Panaeolus foenisecii</i>	On ground, among grass, solitary, Mel
Basidiomycetes	Agaricales,	<i>Panaeolus microsperma</i>	On group among grass, Silver Cascade,
Basidiomycetes	Sphaeriales	<i>Parodiella spegazzinii</i>	On leaves of Crotalaria leschnaultii,
	Diporthales	<i>Paraconstantinella elegans</i>	in Tamil Nadu, India. (1616).
		<i>Paraconstantinella pulchra</i>	in Tamil Nadu, (India). (100).
		<i>Paravalsa indica</i>	on twigs in Tirunelveli, Tamil Nadu
Agaricales	Thelphoraceae	<i>Pellicularia rolfsii</i>	Pollachi (3) and rhizome rot of Zingiber
Agaricales	Thelphoraceae	<i>Pellicularia salmonicolor</i>	officinale Pattambi (Kerala) Sundaram
Moniliales	Moniliaceae	<i>Penicillium digitatum</i>	throughout S. India.
Moniliales	Moniliaceae	<i>Penicillium glabrum</i>	Madras (219).
Moniliales	Moniliaceae	<i>Penicillium glaucum</i>	Madras (219).
Moniliales	Moniliaceae	<i>Penicillium oxalicum</i>	Madras (219).
ustilaginales	Ustielagenaceae	<i>Penicillium Pericladium</i>	Mundkur in Mycologia 36:291,
ustilaginales	Ustielagenaceae	<i>Penicillium tiliacearum</i>	Vandalur, Madras (105A; 47).
Moniliales	Dematiaceae	<i>Periconia byssoides</i>	Ootacamund; of Clitoria ternatea, Madras
Moniliales	Dematiaceae	<i>Periconia clitoriae</i>	Madras (187:360; SR.361).
			On dead leaves of Cocos nucifera, on
			dead stems, Madras; Kambakkam on dead
Moniliales	Dematiaceae	<i>Periconia hispidula</i>	pods of Caesalpinia pulcherrima, Madras;
Moniliales	Dematiaceae	<i>Periconia kambakkamensis</i>	on dead leaf sheaths of Cocos nucifera,
Moniliales	Dematiaceae	<i>Periconia laminella</i>	On dead stems of bamboo, Kambakkam
Moniliales	Dematiaceae	<i>Periconia nilagirica</i>	on a rotting piece of bamboo, Madras
Moniliales	Dematiaceae	<i>Periconia madreeya</i>	Ootacamund, Madras State.
Moniliales	Dematiaceae	<i>Periconia minutissima</i>	on dead bamboo, Madras (187:356).
Moniliales	Dematiaceae	<i>Periconia obliqua</i>	On dead culms of Oryza sativa,
Moniliales	Dematiaceae	<i>Periconia paludosa</i>	On dead bamboo, Madras.
Sphaeriales		<i>Peroneutypa pulchra</i>	Madras (187:347).
Peronosporales	Peronosporaceae	<i>Peronospora obovata</i>	on fallen wood blocks in tirunelveli, Tamil
Peronosporales	Peronosporaceae	<i>Peronospora rumicis</i>	Nanjanad, Nilgiris (157:140).
Melanconiales.		<i>Pestalotia marcotricha</i>	Coimbatore (207:484).
Melanconiales.		<i>Pestalotia seiridioides</i>	Ootacamund (150:95).
Moniliales,	Tuberculariaceae	<i>Petrakia kambakkamensis</i>	Ootacamund (154A:113).
Melanconiales		<i>Pestalotiopsis funerea</i>	On dead wood, Kambakkam Hills,
Melanconiales		<i>Pestalotiopsis palmarum</i>	On leaves of Eucalyptus globosus,
Melanconiales		<i>Pestalotiopsis theae</i>	On leaves of Cocos nucifera, Madras
Dothideales	Phyllachoraceae	<i>Phaeochoella artocarpi</i>	On leaves of Thea sinensis, Madras
Basidiomycetes	Agaricales	<i>Phaeodothis cordifoliae</i>	On leaves of Artocarpus lakoocha, Burliar
Basidiomycetes	Agaricales	<i>Phaeodothis erinaceus</i>	On leaves of Jasminum cordifolium,
			On ground among moss, in groups,

Basidiomycetes	Agaricales		<i>Phaeodothis globisporus</i>	On decaying wood, solitary, Indian
Basidiomycetes	Agaricales		<i>Phaeodothis setulosus</i>	On twigs and litter, in groups, Old Pine
	Helotiales.		<i>Phaeophacidium viburni</i>	Plantation near Pillar Rocks, Kodaikanal,
	Sphaeriales		<i>Phaeosphaerella ricciae</i>	On leaves of Viburnum hebanthum,
	Moniliales.		<i>Phaeotrichoconis crotalariae</i>	On Riccia himalayensis, Madras (173:63).
			<i>Phaeomarasmius globisporus</i>	causing leaf spot in Padappai, India
			<i>Phaeomarasmius setalosus</i>	on rotten wood in Madras (894).
	Uredinales	Melampsoraceae	<i>Phakopsora desmum</i>	On twigs and litter in Tamil Nadu (894).
	Uredinales	Melampsoraceae	<i>Phakopsora fici-elasticae</i>	throughout S.India.
	Uredinales	Melampsoraceae	<i>Phakopsora incompleta</i>	Ootacamund (127:144).
	Uredinales	Melampsoraceae	<i>Phakopsora kirganeliae</i>	Coimbatore (150:93).
	Uredinales	Melampsoraceae	<i>Phakopsora phyllanthi</i>	Coimbatore (141:76).
	Uredinales	Melampsoraceae	<i>Phakopsora vignae</i>	On leaves of Phyllanthus distichus,
	Uredinales	Melampsoraceae	<i>Phakopsora ziziphi</i>	Kadamparai Anamalais (157:145).
	Sphaeropsidales	Sphaerioidaceae	<i>Phleospora cassiae</i>	Kallar (160:58).
	Sphaeropsidales	Sphaerioidaceae	<i>Phleospora Phoma glumarum</i>	Kallar-Burliar (Madras) (142:110)
				see Phyllosticta glumarum.
Basidiomycetes.	Agaricales		<i>Pholiota teneroides</i>	On rotting wood and ground, in groups,
Basidiomycetes.	Agaricales		<i>Pholiota filaris</i>	Shola near Lovedale Railway Station,
				On leaf litter, in groups, Four Roads,
				On ground and dead sticks, solitary , 1974
Basidiomycetes.	Agaricales		<i>Pholiota arrhenii</i>	Pine regeneration area, Katharikai odai,
Basidiomycetes.	Agaricales		<i>Pholiota gregariiformis</i>	On Pinus taeda trunk, in groups, Pine
Basidiomycetes.	Agaricales		<i>Pholiota kadiakensis</i>	On wood, in groups, Old Pine Plantation
Basidiomycetes.	Agaricales		<i>Pholiota truncata</i>	On ground, solitary, Tiger Shola,
			<i>Pholiota squarrosa</i>	On living dicot tree trunk, in groups, Four
			<i>Pholiota squarrosa</i>	Roads, Doddabetta, Ootacamund,
Basidiomycetes.	Agaricales			Kodaikanal, Tamil Nadu.
Basidiomycetes.	Agaricales			On Acacia mangium causing leaf spot of
	Sphaeropsidales.		<i>Phomato sorghina</i>	2 year old plantation in Kerala and Tamil
	Sphaeriales		<i>Phomatospora artocarpi</i>	On leaves of Artocarpus hirsuta, Gudalur
	Sphaeropsidales		<i>Phomopsis casuarinae</i>	in Tamil Nadu and Kerala
	Sphaeropsidales		<i>Phomopsis butleri</i>	Ootacamund (155:191).
	Dothidiales	Phyllachoraceae	<i>Phyllachora balakrishnanii</i>	on leaves of Osbeckia in Tamil Nadu
	Dothidiales	Phyllachoraceae	<i>Phyllachora bourreriae</i>	In Coimbatore. Tamil Nadu (1002).
	Dothidiales	Phyllachoraceae	<i>Phyllachora cymbispora</i>	On leaves of Eurya japonica, Lovedale
	Dothidiales	Phyllachoraceae	<i>Phyllachora cynodontis</i>	On leaves of Cynodon dactylon,
	Dothidiales	Phyllachoraceae	<i>Phyllachora cyperi</i>	On leaves of Fimbrystylis sp., Madras
	Dothidiales	Phyllachoraceae	<i>Phyllachora flemingiae</i>	On leaves of Flemingia semialata,
	Dothidiales	Phyllachoraceae	<i>Phyllachora glycosmidis</i>	On leaves of Glycosmia cochinchinensis,
	Dothidiales	Phyllachoraceae	<i>Phyllachora gomphandrae</i>	on leaves of Gomphandra coriacea Wight.
	Dothidiales	Phyllachoraceae	<i>Phyllachora graminis</i>	On Chloris barbata, Coimbatore;
	Dothidiales	Phyllachoraceae	<i>Phyllachora gudalurensis</i>	On leaves of Croton oblongifolius,
				On leaves of Hugonia mystax, Tambaram
Dothidiales	Phyllachoraceae		<i>Phyllachora hugoniae</i>	and Kambakkam (Chingleput, Karaikudi,
Dothidiales	Phyllachoraceae		<i>Phyllachora ixorae</i>	On leaves of Ixora parviflora, Coimbatore
Dothidiales	Phyllachoraceae		<i>Phyllachora kambakkamensis</i>	On leaves of Ochna sp., Thanthipandal,
Dothidiales	Phyllachoraceae		<i>Phyllachora kanyakumariana</i>	In Kanyakumari Distt. Tamil Nadu (543).
Dothidiales	Phyllachoraceae		<i>Phyllachora pongamiae</i>	On leaves of Pongamia glabra, Madras
Dothidiales	Phyllachoraceae		<i>Phyllachora pterolobi</i>	On leaves of Pterolobium indicum, Kallar
Dothidiales	Phyllachoraceae		<i>Phyllachora rhamni</i>	On leaves of Rhamnus wightii,

Dothidiales	Phyllachoraceae	<i>Phyllachora rottoelliae</i>	On leaves of Rottboellia exaltata, the
Dothidiales	Phyllachoraceae	<i>Phyllachora scolopiae</i>	On leaves of Scolopia crenata, Burliar
Dothidiales	Phyllachoraceae	<i>Phyllachora sikkimense</i>	On leaves of Canarium sikkimense,
Dothidiales	Phyllachoraceae	<i>Phyllachora sorghi</i>	On leaves of Sorghum vulgare,
Dothidiales	Phyllachoraceae	<i>Phyllachora ventilaginis</i>	On leaves of Ventilago maderaspatna,
Dothidiales	Phyllachoraceae	<i>Phyllachora Phyllachorella</i>	see Vestergrenia micheliae.
Erysiphales,	Erysiphaceae	<i>Phyllactinia dalbergiae</i>	Bharathiar University Campus,
Erysiphales,	Erysiphaceae	<i>Phyllactinia guttata</i>	in Coonoor and Coimbatore (158:62).
Sphaeropsidales	Sphaeroidaceae	<i>Phyllosticta glumarum</i>	On glumes of Oryza sativa, throughout
Sphaeropsidales	Sphaeroidaceae	<i>Phyllosticta hederae</i>	On leaves of Hedera helix, Ootacamund
Sphaeropsidales	Sphaeroidaceae	<i>Phyllosticta sorghina</i>	On leaves of Sorghum vulgare,
Sphaeropsidales	Sphaeroidaceae	<i>Phyllosticta symploci</i>	On leaves of Symplocos sp., Nilgiris
Sphaeropsidales	Sphaeroidaceae	<i>Phyllostictina musarum</i>	On leaves of Musa paradisiaca,
Sphaeriales		<i>Physalospora achyranthes</i>	see Vestergrenia achyranthes.
Sphaeriales		<i>Physalospora anomalaensis</i>	On leaves of Embelia ribes, Anamalais
Sphaeriales		<i>Physalospora heterostemmae</i>	see Vestergrenia heterostemmae.
Sphaeriales		<i>Physalospora jasmini</i>	On leaves of Jasminum rigidum,
Sphaeriales		<i>Physalospora pyrenacanthae</i>	On leaves of Pyrenacantha volubilis.
Sphaeriales		<i>Physalospora pterolobi</i>	see Phyllachora pterolobi.
Peronosporales	Pythiaceae	<i>Phytophthora cactorum</i>	Ootacamund (204:99 as var P. pini
Peronosporales	Pythiaceae	<i>Phytophthora cambivora</i>	Nilgiris and Pulneys (147:27-33).
Peronosporales	Pythiaceae	<i>Phytophthora cinnamomi</i>	On stems and roots of Cinchona
Peronosporales	Pythiaceae	<i>Phytophthora colocasiae</i>	ledgeriana and C. succirubra and C. sp.,
Peronosporales	Pythiaceae	<i>Phytophthora cyperi-bulbosi</i>	On Colocasia antiquorum, Anamalais .
Peronosporales	Pythiaceae	<i>Phytophthora palmivora</i>	On leaves of Cyperus bulbosus,
Peronosporales	Pythiaceae	<i>Phytophthora parasitica</i>	Coimbatore (169:150; 168:58).P .
	Polyporaceae.	<i>Pilidium acerinum</i>	throughout S. India; causing fruit rot of
		<i>Piloporia indica</i>	Lycopersicum esculentum, Coimbatore. It
Sclerotermatales		<i>Pisolithus tinctorius</i>	On roots and stems of Nicotiana tabacum,
		<i>Pilacre orientalis</i>	On fallen leaves of Calophyllum
		<i>Pilacre tephrospora</i>	inophyllum L. in Madras , Tamil Nadu
Moniliales	Moniliaceae	<i>Piricularia oryzae</i>	on twigs in Malabar forest, Tamil Nadu
Moniliales	Moniliaceae	<i>Piricularia setariae</i>	On sandy soil around mature trees of
Peronosporales	Peronosporaceae	<i>Plasmopara vernoniae-chinensis</i>	Eucalyptus tereticornis F.Muell.,
Peronosporales	Peronosporacea	<i>Plasmopara viticola</i>	On dead wood, Nilgiris, (13:101).
Sphaeropsidales	Sphaeroidaceae	<i>Pleocysta sacchari</i>	On dead leaves, Nilgiris (13:101).
		<i>Pleurothecium magnum</i>	On Oryza sativa, throughout S.India
		<i>Pleurothecium pulneyense</i>	throughout S.India.
Agaricales	Agaricaceae	<i>Pleurotus citrinopileatus</i>	On leaves of Vernonia cinerea
Agaricales	Agaricaceae	<i>Pleurotus flabellatus</i>	On leaves of Vitis vinifera Madras
Agaricales	Agaricaceae	<i>Pleurotus platopus</i>	(213:244; 5:34), Collected from Salem,
Moniliales	Dematiaceae	<i>Pleurophragmium scopaeforme</i>	On culms of Saccharum officinarum
Agaricales		<i>Pluteus cervinus</i>	Madras (19:14 as Trichosphaeria sacchari
			On rotten wood in Tamil Nadu , India
			On dead twigs in Tamil Nadu. India .
			on dead tree trunk in Kanalkandu , in
			On dead wood, Kodimudi teak plantation
			on the way to Walyar, Tirunelveli, Tamil
			On decaying wood, Madras University
			On wood, Doddabetta, Ootacamund,

Agaricales		<i>Pluteus subcervinus</i>	On ground, Senkaltheri, Tirunelveli,
Dothideales		<i>Plowrightia atlantiae</i>	On leaves of <i>Atlantia monophylla</i> , Burliar
Dothideales		<i>Plowrightia indica</i>	On leaves of <i>Jambosa laeta</i> , Anamalais
Hymenogastrales.			On the ground, Madras
Moniliales	Dematiaceae	<i>Podaconis macrura</i>	On dead rachis of <i>Phoenix sylvestris</i> ,
Moniliales	Stibaceae	<i>Podosphorium thyisanolaenae</i>	On leaves of <i>Thysanolaena agrostis</i> ,
Hemisphaeriales	Polystomellaceae.	<i>Polyclypeolum salvadorae</i>	On leaves of <i>Salvadora persica</i> , Ennore, South India (77:1126).
Agaricales	Agaricaceae	<i>Polyporus acervalis</i>	South India (75:130; 77:1126).
Agaricales	Agaricaceae	<i>Polyporus albellus</i>	On dead twigs, S.India (92:22; 77:1126).
Agaricales	Agaricaceae	<i>Polyporus arcularis</i>	On wood, Madras (77:1010).
Agaricales	Agaricaceae	<i>Polyporus bicolor</i>	On the ground, Coimbatore (14:226;
Agaricales	Agaricaceae	<i>Polyporus chocolatus</i>	In trunks, Nilgiris (75:137; 76:5).
Agaricales	Agaricaceae	<i>Polyporus emerici</i>	Mont. (92:22).
Agaricales	Agaricaceae	<i>Polyporus imamoenus</i>	South India (77:1126, 1131).
Agaricales	Agaricaceae	<i>Polyporus manilaensis</i>	Dodabetta, Nilgiris (74:373).
Agaricales	Agaricaceae	<i>Polyporus nigrocrustosus</i>	Growing on stumps and logs, Madras
Agaricales	Agaricaceae	<i>Polyporus personatus</i>	Ooty; on <i>E. reginans</i> F. Muell, Kodaikanal (348b); on leaf litter on
			On dead wood (S.India) (77:1032).
	Polyporaceae	<i>Polyseytalum truncatum</i>	On fallen branches, Nilgiris (76:33 as <i>P.</i>
	Polyporaceae	<i>Polystictus caperatus</i>	<i>cineraceus</i>
	Polyporaceae	<i>Polystictus cervino-gilvus</i>	On trunks, Nilgiris (68:139).
	Polyporaceae	<i>Polystictus coriaceus</i>	On trunks, Nilgiris (68:137).
	Polyporaceae	<i>Polystictus flabelliformis</i>	On dead wood, Ootacamund (11:386;
	Polyporaceae	<i>Polystictus malaiensis</i>	S.India (77:1125 as "Polyporus
	Polyporaceae	<i>Polystictus membranaceus</i>	Ootacamund (92:22 as Polyporus
	Polyporaceae	<i>Polystictus nilgheriensis</i>	On old trunks, Nilgiris (92:22, 77:1010).
	Polyporaceae	<i>Polystictus pectunculus</i>	On trunks, Nilgiris (68:138).
	Polyporaceae	<i>Polystictus persoonii</i>	On dead wood, South India (76:2;
	Polyporaceae	<i>Polystictus pinsitus</i>	Nilgiris (68:136; 92:22 as Polyporus
	Polyporaceae	<i>Polystictus sanguineus</i>	Nilgiris (92:22; 76:3).
	Polyporaceae	<i>Polystictus sanguineus</i>	Nilgiris (92:22; 76:3).
	Polyporaceae	<i>Polystictus xanthopus</i>	On dead trunks, Nilgiris (92:22; 76:3;
Agaricales	Polyporaceae	<i>Poria gallo-grisea</i>	On rotten wood, Nilgiris (41:25).
Moniliales	Dematiaceae	<i>Prathigada crataevae</i>	On <i>Crataeva religiosa</i> , Coimbatore
			On litter, in groups, Indian Institute of
Agaricales	Basidiomycetes	<i>Psathyrella candolleana</i>	Technology campus, Guindy, Madras,
Agaricales	Basidiomycetes	<i>Psathyrella candolleana</i>	On ground, solitary, road side near Forest
Agaricales	Basidiomycetes	<i>Psathyrella cordispora</i>	on soil in Tamil Nadu India . (896).
Agaricales	Basidiomycetes	<i>Psathyrella hydrophila</i>	On litter, in groups, Cardamom Estate,
Agaricales	Basidiomycetes	<i>Psathyrella cordispora</i>	On ground, solitary, Women's Hostel
Agaricales	Basidiomycetes	<i>Psathyrella debilis</i>	On litter, solitary, Tiger Shola,
Agaricales	Basidiomycetes	<i>Psathyrella kodaikanalensis</i>	On ground, solitary, 1972 pine
Agaricales	Basidiomycetes	<i>Psathyrella kodaikanalensis</i>	On ground, in groups, near Forest Guest
			On ground, solitary, forest near Lovedale
Agaricales	Basidiomycetes	<i>Psathyrella gracilis</i>	Railway Station, Ootacamund, Nilgiris,
Agaricales	Basidiomycetes	<i>Psathyrella terrestris</i>	Nungambakkam, Madras, Tamil Nadu.
Moniliales	Dematiaceae.	<i>Pseudocampotum fasciculatum</i>	on dead leaf sheaths of Phoeaxl
Moniliales		<i>Pseudocercospora chloroxyllicola</i>	on Anamirta cocculus in Tamil Nadu.
Peronosporales.		<i>Pseudoperonospora cubensis</i>	On leaves of <i>Luffa acutangula</i>
Helotiales		<i>Pseudopeziza indica</i>	On leaves of <i>Embelia ribes</i> , Anamalais

	Helotiales		<i>Pseudopeziza rubiae</i>	On living leaves of <i>Rubia cordifolia</i>
	Moniliales		<i>Pseudotorula heterospora</i>	On dead stems, Government Garden,
	Agaricales	Dermatiaceae	<i>Psilocybe gigaspora</i>	On cow dung, in groups, Santinella, On ground, solitary, 1974 Pine
Basidiomycetes	Agaricales		<i>Psilocybe guzmanii</i>	Regeneration Area, Katharikai Odai,
Basidiomycetes	Agaricales		<i>Psilocybe cubensis</i>	On elephant dung manure, solitary, Deer
Basidiomycetes	Agaricales		<i>Psilocybe aztecorum</i>	On ground, solitary, New Pine Plantation,
Basidiomycetes	Agaricales		<i>Psilocybe aztecorum</i>	On ground, solitary, Tiger Shola,
Basidiomycetes	Agaricales		<i>Psilocybe crotula</i>	On ground among grass, in groups, New Pine Plantations near Pillar rocks,
Basidiomycetes	Agaricales		<i>Psilocybe muscorum</i>	On ground, solitary, Shola near Lovedale Railway Station, Ootacamund, Nilgiris, On dung, solitary and in groups, 1972
Basidiomycetes	Agaricales		<i>Psilocybe coprophila</i>	Pine Regeneration Area, Konalaru,
Basidiomycetes	Agaricales		<i>Psilocybe argentina</i>	On cow dung, in groups, Santinella,
Basidiomycetes	Agaricales		<i>Psilocybe squarrosipes</i>	On ground, solitary, Doddabetta, on soil in Tamil Nadu. India (907g).
Basidiomycetes	Agaricales		<i>Psilocybe pseudoaztecorum</i>	On leaves of <i>Strobilanthes barbatus</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia aggregata</i>	On living leaves of <i>Amphilophis pertusa</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia amphiphilidis</i>	On <i>Arthraxon hispidus</i> , Poomburai
	Uredinales	Pucciniaceae.	<i>Puccinia arthraxonis-ciliaris</i>	On leaves of <i>Brachypodium sylvaticum</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia baryi</i>	On <i>Blepharis boehaviaefolia</i> , Kallar
	Uredinales	Pucciniaceae.	<i>Puccinia blepharidis</i>	On <i>Briza maxima</i> , Agricultural Research
	Uredinales	Pucciniaceae.	<i>Puccinia brizae-maximae</i>	On leaves of <i>Chloris incompleta</i> , Kallar
	Uredinales	Pucciniaceae.	<i>Puccinia chloridis-incompletae</i>	On leaves of <i>Chrysanthemum indicum</i> , the Droog, Nilgiris; Ootacamund
	Uredinales	Pucciniaceae.	<i>Puccinia chrysanthemi</i>	On leaves of <i>Citrullus colocynthis</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia citrulli</i>	On leaves of <i>Avenastrum asperum</i>
	Uredinales	Pucciniaceae.	<i>Puccinia coronata</i>	Ootacamund and Coonoor (137:65 telia)
	Uredinales	Pucciniaceae.	<i>Puccinia curculigonis</i>	On leaves of <i>Curculigo orchioides</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia desertorum</i>	On leaves of <i>Evolvulus alsinoides</i> , Kallar,
	Uredinales	Pucciniaceae.	<i>Puccinia droogensis</i>	On eaves of <i>Berberis aristata</i> , the Droog,
	Uredinales	Pucciniaceae.	<i>Puccinia exhaustens</i>	On leaves of <i>Jasminum pubescens</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia garnotii</i>	On leaves of <i>Garnotia arundinacea</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia gymnopetali-wightiae</i>	On leaves of <i>Gymnopetalum wightii</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia hydrocotyles</i>	On leaves of <i>Hydrocotyle conferta</i> , see <i>Phakopsora incompleta</i> .
	Uredinales	Pucciniaceae.	<i>Puccinia incompleta</i>	On leaves of <i>Anaphalis</i> sp., the Doorg,
	Uredinales	Pucciniaceae.	<i>Puccinia investita</i>	On leaves of <i>Iris germanica</i> , Coonoor
	Uredinales	Pucciniaceae.	<i>Puccinia iridis</i>	On leaves of <i>Jasminum flexile</i> , Burliar
	Uredinales	Pucciniaceae.	<i>Puccinia jasminnicola</i>	On leaves of <i>Helichrysum buddleoides</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia kalchbrenneri de</i>	On leaves of <i>Isachne kunthiana</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia kunthiana</i>	On leaves of <i>Spermacoce stricta</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia lateritia</i>	On leaves of <i>Viburnum erubescens</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia linkii</i>	On leaves of <i>Loranthus longiflorus</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia luculenta</i>	On leaves of <i>Malva verticillata</i> , Keti,
	Uredinales	Pucciniaceae.	<i>Puccinia malvacearum</i>	On leaves of <i>Vernonia pectiniformis</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia pectiniformis</i>	On leaves of <i>Pennisetum typhoides</i> ,
	Uredinales	Pucciniaceae.	<i>Puccinia penniseti</i>	throughout S.India (210:435) : aecidial
	Uredinales	Pucciniaceae.	<i>Puccinia peraffinis</i>	On leaves of <i>Justicia simplex</i> , Coonoor,
	Uredinales	Pucciniaceae.	<i>Puccinia picridis</i>	On leaves of <i>Picris hieracioides</i> ,

Uredinales	Pucciniaceae.	<i>Puccinia pogonatheri</i>	On leaves of Pogonatherum paniceum,
Uredinales	Pucciniaceae.	<i>Puccinia prainiana</i>	On leaves of Smilax aspera and S.
Uredinales	Pucciniaceae.	<i>Puccinia purpurea</i>	On leaves of Sorghum vulgare
Uredinales	Pucciniaceae.	<i>Puccinia romagnoliana</i>	On leaves of C. bulbosus, Coimbatore and Ootacamund, of C. rotundus, Tirunelveli and Coimbatore Aecidial stage of leaves
Uredinales	Pucciniaceae.	<i>Puccinia solani-giganteae</i>	On leaves of Solanum giganteum,
Uredinales	Pucciniaceae.	<i>Puccinia solmsii</i>	On leaves of Polygonum chinense, and
Uredinales	Pucciniaceae.	<i>Puccinia sorghi</i>	On leaves of Zea mays Coonoor (151:91).
Uredinales	Pucciniaceae.	<i>Puccinia spongiosa</i>	On leaves of Webera corymbosa,
Uredinales	Pucciniaceae.	<i>Puccinia substrata</i>	On leaves of Paspalum scrobiculatum,
Uredinales	Pucciniaceae.	<i>Puccinia terminaliae</i>	On leaves of Terminalia bellerica,
Uredinales	Pucciniaceae.	<i>Puccinia thomasiiana</i>	On leaves of Ocimum gratissimum,
Uredinales	Pucciniaceae.	<i>Puccinia tricholaenae</i>	On leaves of Rhynchelytrium roseum,
Uredinales	Pucciniaceae.	<i>Puccinia tweediana</i>	On leaves of Dicliptera cuneata, Yercaud
Uredinales	Pucciniaceae.	<i>Puccinia vernoniae-monosis</i>	On leaves of Vernonia monosis,
Uredinales	Pucciniaceae.	<i>Puccinia wattiana</i>	On leaves of Clematis wightiana
Peronosporales	Pythiaceae	<i>Pythium aphanidermatum</i>	on Hardwickia binata causing blight of in water containing vegetable matter,
Peronosporales	Pythiaceae	<i>Pythium carolinianum</i>	on Spirogyra sp., Vedapatti, Coimbatore
Peronosporales	Pythiaceae	<i>Pythium catenulatum</i>	On Hibiscus esculentus, Podanur,
Peronosporales	Pythiaceae	<i>Pythium indicum</i>	Isolated from soil, Vandalur, Madras
Peronosporales	Pythiaceae	<i>Pythium mamillatum</i>	Isolated from pods of Phaseolus vulgaris,
Peronosporales	Pythiaceae	<i>Pythium paroecandrum</i>	Isolated from vegetable debris in water,
Peronosporales	Pythiaceae	<i>Pythium periplocum</i>	Causing diseases of Zingiber officinale, Elettaria cardamomum, Tirunelveli and Coimbatore; on Pelargonium sp.,
Peronosporales	Pythiaceae	<i>Pythium vexanas</i>	Yercaud, Salem (Madras); on Cinchona
Moniliales	Hydnaceae	<i>Radulum emergi</i>	On logs, Nilgiris (49:3).
Moniliales	Moniliaceae	<i>Ramularia areola</i>	On leaves of Gossypium spp., Madras
Moniliales	Moniliaceae	<i>Ramularia gymnematis</i>	On leaves of Gymnema sylvestris, Kallar,
Melanconiales	Moniliaceae	<i>Ramularia viticis</i>	On leaves of Vitex negundo, Pollachi
Melanconiales		<i>Ramulispora acaciae-arabicae</i>	On leaves of Acacia arabica, Coimbatore
Melanconiales		<i>Ramulispora albizziae-amarae</i>	On leaves of Albizzia amara, Vellore
Melanconiales		<i>Ramulispora coimbatoreica</i>	on leaves of Phyllanthus urinaria, Kallar
Melanconiales		<i>Ramulispora emblicae</i>	On Phyllanthus rheedii, Coonoor,
Melanconiales		<i>Ramulispora stictica</i>	Vellore(%); on Emblica officinalis,
Agronomycetales		<i>Rhizoctonia solani</i>	Tiruvarur, Thanjavur district, Musiri,
Pezizales		<i>Rhizina reticulata</i>	On leaves of Mundulea suberosa, Madras
Mucorales	Mucoraceae	<i>Rhizopus nigricans</i>	leaf spot in Tamil Nadu. (709).
Mucorales	Mucoraceae	<i>Rhizopus nodosus</i>	On wood, Nilgiris (13:919).
Mucorales	Mucoraceae	<i>Rhizopus oryzae</i>	from soil, Madras (219).
Phacidiiales		<i>Rhytisma lagerstroemiae</i>	Isolate from cotton seeds, Madras
Sphaeriales		<i>Rosellinia arcuata</i>	Isolated from soil, Vedasandur (245; 181;
Sphaeriales		<i>Rosellinia picta</i>	On leaves of Lagerstroemia lanceolata,
Melanconiales	Tricholomataceae	<i>Ripartites flabellatus</i>	On roots of Thea sinensis Nilgiris
Agaricales	Agaricaceae	<i>Rostrospora ciliata</i>	On decorticated wood; Nilgiris (42:81).
		<i>Russula lepida</i>	In Tamil Nadu. India (901).
			On leaves of Cymbopogon polyneuros,
			On the ground in pine forests, Kodaikanal

Agaricales	Agaricaceae	<i>Russula parazurea</i>	On ground, permanent pine plantation,
Pezizales		<i>Saccobolus beckii</i>	pinus patula plantation near Pillar Rocks,
Moniliales	Dematiaceae	<i>Sadasivania girisa</i>	On pine bark under cooling tower in
Sphaeropsidales	Sphaeroidaceae	<i>Sskireeta madreeya</i>	On dead leaves, Nilgiris (217 : 66).
		<i>Sarocladium oryzae</i>	On dead twigs of Aristidasetacea Retz.,
Leptomitales	Rhipidiaceae	<i>Sapromyces indicus</i>	On Rice on Sheath rot in Madras (1632).
Hemisphaeriales	Microthyriaceae	<i>Sapucchaka madreeya</i>	On dead leaves in water, Thanthipandal,
Eurotiales	Eurotiaceae	<i>Sartorya fumigata</i>	On dead twigs of Quisqualis indica,
Agaricales	Agaricaceae	<i>Schizophyllum flabellare</i>	from soil, Madras (219).
Sclerodermatales		<i>Sclerotoderma cepa</i>	Nilgiris (92:21).
Peronosporales	Peronosporace	<i>Sclerospora andropogonis-sorghii</i>	South India (77:17).
Peronosporales	Peronosporace	<i>Sclerospora graminicola</i>	On Sorghum vulgare, throughout S. India
Sphaeropsidales.		<i>Sclerotiopsis indica</i>	On Panicum miliaceum Coimbatore
Sphaeropsidales.		<i>Sclerotiopsis sclerotium</i>	On leaves of Ilex wightina, Kodaikanal
Sphaeropsidales.		<i>Sclerotiopsis rolfsii</i>	see Leptosphaeria salvinii.
Agonomycetales		<i>Sclerotium rolfsii</i>	see Pellicularia rolfsii.
Melanconiales		<i>Scolecosporium phoebi</i>	On Ficus auriculata L. causing fruit rot in
Uredinales	Pucciniaceae	<i>Scopella ascotela</i>	On leaves of Phoebe paniculata,
Uredinales	Pucciniaceae	<i>Scopella fici</i>	see Maravalia ascotela.
Uredinales	Pucciniaceae	<i>Scopella copelopsis</i>	On leaves of Ficus sp., Shambaganur,
Tremellales	Auriculariaceae	<i>Septobasidium pteruloides</i>	see Maravalia pterocarpi.
Tremellales	Auriculariaceae	<i>Septobasidium theae</i>	On dead bark, Nilgiris (93:152).
Melanconiales		<i>Septogloewum acaciae</i>	On Thea sinensis, S. India (Rept.
Melanconiales		<i>Septogloewum feroniae</i>	see Camptomeris acaciae.
Melanconiales		<i>Septogloewum manihotis</i>	On leaves of Feronia elephantum,
Melanconiales		<i>Septogloewum poincianaе</i>	see Cercospora henningsii.
Melanconiales		<i>Septogloewum scutiae</i>	On leaves of Delonix elata., Coimbatore
Melanconiales		<i>Septosporium bulbotrichum</i>	On leaves of Scutia myrtina, Kotagiri,
Moniliales	Dematiaceae	<i>Septonema harknessii</i>	On leaf litter of Eucalyptus globulus
Moniliales	Dematiaceae	<i>Septonema indica</i>	On dead leaf base of Phoenix canariensis,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria adananensis</i>	Isolated from soil, Vandalur, Madras
Sphaeropsidales	Sphaeroidaceae	<i>Septoria apiocola</i>	On leaves of Chrysanthemum sp. Madras,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria apii-graveolentis</i>	On leaves of Apium graveolens L.
Sphaeropsidales	Sphaeroidaceae	<i>Septoria delonicis</i>	On leaves of Apium graveolens,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria dianthi</i>	On leaflets of Delonix elata, Coimbatore
Sphaeropsidales	Sphaeroidaceae	<i>Septoria divaricatae</i>	On leaves of Dianthus caryophyllus, Linn
Sphaeropsidales	Sphaeroidaceae	<i>Septoria dolichi</i>	On leaves of Phlox sp. Sim's Park,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria erythrinae</i>	On leaves of Dolichos lablab Linn
Sphaeropsidales	Sphaeroidaceae	<i>Septoria fusiformis</i>	On leaves of Erythrina sp., Kallar
Sphaeropsidales	Sphaeroidaceae	<i>Septoria graminum</i>	On living leaves of Hydrocotyle asiatica
Sphaeropsidales	Sphaeroidaceae	<i>Septoria hydrocytipes</i>	On leaves and culms of Digitaria
Sphaeropsidales	Sphaeroidaceae	<i>Septoria iiycopersici</i>	On leaves of Hydrocotyle javanica,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria kodaikanalensis</i>	On leaves of Lycopersicon esculentum,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria macropoda</i>	Cinchona, Anamalais and Coonoor
Sphaeropsidales	Sphaeroidaceae	<i>Septoria sonchus</i>	On living leaves of Hydrocotyle asiatica
Sphaeropsidales	Sphaeroidaceae	<i>Septoria nodorum</i>	On living leaves of Poa sp., Ootacamund,
Sphaeropsidales	Sphaeroidaceae	<i>Septoria phlogis</i>	Kodaikanal, India.
Sphaeropsidales	Sphaeroidaceae	<i>Septoria prinsepiae</i>	On Triticum dicoccum, Kotagiri, Nilgiris
Sphaeropsidales	Sphaeroidaceae	<i>Septoria rosae</i>	On leaves of Phlox sp., Coonoor Nilgiris
			On living leaves of Prinsepia utilis Royle,
			On leaves of Rosa sp., Kodaikanal, India.

Sphaeropsidales	Sphaerioidaceae	<i>Septoria veronicae</i>	On leaves of Veronica sp. Nilgiris (6000
Tremellales		<i>Sirobasidium indicum</i>	On dead twigs, Tambaram (Madras)
Ustilaginales,	Ustilaginaceae	<i>Sorosporium barberi</i>	On Cymbopogon coloratus,
Ustilaginales,	Ustilaginaceae	<i>Sorosporium brachiariae-ramosa</i>	In ovearies of Brachiaria ramosa, Pollachi
Ustilaginales,	Ustilaginaceae	<i>Sorosporium cenchri</i>	On inflorescence of Cenchrus ciliaris and
Ustilaginales,	Ustilaginaceae	<i>Sorosporium cornutum</i>	In ovaries of Cymbopogon confertiflorus,
Ustilaginales,	Ustilaginaceae	<i>Sorosporium tumefaciens</i>	On culms of Chrysopogon montanus
Ustilaginales,	Ustilaginaceae	<i>Sorosporium phaceloma</i>	On leaves and fruits of Citrus paradisi
Moniliales		<i>Sphacelia sorghi</i>	on Cecharus setegerus in Coimbatore,
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca annulata</i>	On Dichanthium annulatum, Coimbatore
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca cymbopogonis-colo</i>	On ovaries of Cymbopogon coloratus,
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca fagopyri</i>	On Fagopyrum cymosum (Meissn.)
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca operta</i>	In ovaries of Panicum villosum,
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca ophiuri</i>	In ovaries of Rottboellia exaltata,
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca reiliana</i>	In inflorescence of Sorghum vulgare,
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca schoenanthis</i>	in ovaries of Cymbopogon flexuous
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca sorghi</i>	in ovaries of Sorghum vulgare, throughout
Ustilaginales	Ustilaginaceae	<i>Sphacelotheca tenuis</i>	(Mycologia 22:137, 1930, Palamcottah
Dothideales		<i>Sphaerothothis borassi</i>	On leaves of Borassus flabellifer,
Dothideales		<i>Sphaerothothis coimbatorica</i>	On leaves of Calamus rotang, Anamalais
Sphaeropsidales	Sphaerioidaceae	<i>Sphaeropsis absus</i>	On twigs of Cassia absus, Madras
Sphaeropsidales	Sphaerioidaceae	<i>Sphaeropsis gracilipes</i>	see Nectria gracilipes.
Erysiphales	Erysiphaceae	<i>Sphaerotheca balsaminae</i>	Turkuensis A, 2, 23: 99, 1957; BSI
Erysiphales	Erysiphaceae	<i>Sphaerotheca cassiae</i>	Siruvani, Coimbatore.
Erysiphales	Erysiphaceae	<i>Sphaerotheca euphorbiae - hirtae</i>	BSI Garden, Coimbatore.
Erysiphales	Erysiphaceae	<i>Sphaerotheca fusca</i>	Siruvani, Coimbatore.
Erysiphales	Erysiphaceae	<i>Sphaerotheca phaseoli</i>	Annur, Coimbatore.
Moniliales	Dematiaceae	<i>Sporidesmium litseae</i>	on the living leaves of Listea sp. in
Moniliales	Dematiaceae	<i>Sporidesmium nilgirense</i>	On dead stems of Bambusa nana,
Moniliales	Dematiaceae	<i>Sporidesmium vagum</i>	On dead stem of Quisqualis malabarica
Pleosporales		<i>Sporormiella minima</i>	on leaves of Rhizophora mucronata in
Moniliales	Moniliaceae	<i>Sporotrichum pruinosum</i>	Isolated from kanji, Orissa (119 : 458);
Moniliales		<i>Sporocybe hybrida</i>	Isolated from roots of orange, Madras
Moniliales,	Dematiaceae	<i>Stachybotrys atra</i>	isolated from soil, Madras (2: 98).
Moniliales,	Dematiaceae	<i>Stachybotrys nilagirica</i>	On dead twigs of Althaea rosea, Sim's
Moniliales,	Dematiaceae	<i>Stachybotrys pulchra</i>	On dead leaf of Ficus bengalensis, Madras
Moniliales,	Dematiaceae	<i>Stachybotrys ranosa</i>	on leaf litter of Eucalyptus golbulus
Moniliales	Tuberculariaceae	<i>Starkeomyces koorchaloides</i>	isolated from the rhizosphere of many
Moniliales	Dematiaceae	<i>Stemphylium paxianum</i>	Isolated from rhizosphere of Cajanus
Agaricales	Thelephorace	<i>Stereum fuscum</i>	On dead wood, Nilgiris .
Melanconiales		<i>Stilbospora celtidis</i>	On leaves of Celtis tetrandra, Burliar
Moniliales		<i>Stilbum cinnabarinum</i>	Causing dieback of tea shoots and pruned
Agaricales		<i>Stropharia semiglobata</i>	On dung, in groups, Naduvattum,
Agaricales		<i>Stropharia aurantiaca</i>	On ground, solitary, Santinella,
Boletales		<i>Subramaniomyces fusisaprophytic</i>	on leaf litter, Ooty, Tamil Nadu (658a).
Boletales		<i>Suillus brevipes</i>	On ground in Pinus patula plantation near
Boletales		<i>Suillus pallidiceps</i>	On ground in Pinus patula plantation,
Boletales		<i>Suillus punctatipes</i>	1974 Pine regeneration area, Kodaikanal,
			On ground in Pinus patula plantation,
			Thalaikunda, Ootacamund, Nilgiris,

Boletales		<i>Suillus subluteus</i>	On ground in <i>Pinus patula</i> plantation,
Mucorales,	Piptocephalidaceae	<i>Syncephalis corna</i>	1974 pine regeneration area, Kotharikai
Mucorales,	Piptocephalidaceae	<i>Syncephalis reflexa</i>	Isolated from soil, Vandalur, Madras
Chytridiales	Synchytriaceae	<i>Synchytrium atylosiae</i>	Isolated from soil, Vandalur, Madras
Chytridiales	Synchytriaceae	<i>Synchytrium crotalariae</i>	On leaves of <i>Rhynchosia minima</i> ,
Chytridiales	Synchytriaceae	<i>Synchytrium dolichi</i>	On leaves of <i>Crotalaria semperflorens</i> ,
Chytridiales	Synchytriaceae	<i>Synchytrium lepidagathidis</i>	On leaves of <i>Dunbaria ferruginea</i> , Nilgiris
Chytridiales	Synchytriaceae	<i>Synchytrium rytzii</i>	On leaves of <i>Lepidagathis cristata</i> ,
Taphriniales		<i>Taphrina cornu</i>	On leaves of <i>Leucas aspera</i> , Coimbatore
Taphriniales		<i>Taphrina deformans</i>	In fronds of <i>Aspidium aristatum</i> , Coonoor
Agaricales		<i>Termitomyces badius</i>	Causing peach (<i>Prunus Persica</i>) leaf curl,
Agaricales		<i>Termitomyces clypeatus</i>	On ground among grass, Madras
Agaricales		<i>Termitomyces heimii</i>	On ground, sandy soil, Madras University
Agaricales		<i>Termitomyces indicus</i>	On termite nest, Madras University
Agaricales		<i>Termitomyces microcarpus</i>	On ground, sandy soil, Post-graduate
Agaricales		<i>Termitomyces microcarpus</i>	Women's Hostel, Chepauk, Madras,
Agaricales		<i>Termitomyces rabuorii</i>	On ant hill, Madras University campus,
Aphyllophorales.		<i>Thanatephorus cucumeris</i>	In large groups on a underground
Loculoascomycetes		<i>Thaxteriellopsis lignicola</i>	termitarium, Mundanthurai sancturay,
		<i>Thyrostromella asymmetrica</i>	Growing from an underground
			termitarium, Ramanujam Institute of
Agaricales		<i>Tricholoma lobayense</i>	on Rasthali Bananas causing leaf spot in
Moniliales		<i>Trochophora simplex</i>	On Eugenia in M.P., T.N. and Kerala .
Agaricales		<i>Trogia montagnei</i>	on decaying angiospermic litter of
Moniliales	Stilbaceae	<i>Tharoopama trina</i>	<i>Glycosmis cochinchinensis</i> L. Tambaram,
Eurotiales	Eurotiaceae	<i>Thielavia basicola</i>	On soil at the base of a dicot tree, Post-
Eurotiales	Eurotiaceae	<i>Thielavia setosa</i>	graduate Women's Hostel campus,
Ustilaginales	Tilletiaceae	<i>Tilletia eleusines</i>	Chepauk; on decaying tree trunk of
Ustilaginales	Tilletiaceae	<i>Tilletia horrida</i>	On the living leaves of <i>Daphniphyllum</i>
Melanconiales		<i>Tiltaeospora daphniphylli</i>	neigherense Rosenth. In Kodaikanal,
Melanconiales		<i>Tiltaeospora pterolobii</i>	On fallen branches in forest, Trichirapalli
Moniliales	Ustilaginaceae.	<i>Tolyposporium ehrenbergi</i>	On dead culms of grass (<i>Cynodon</i>
Moniliales	Ustilaginaceae.	<i>Tolyposporium penicillilariae</i>	<i>dactylon</i>) and on dead pods of <i>Caesalpinia</i>
Moniliales	Dematiaceae	<i>Torula herbarum</i>	Isolated from soil, Madras (116:112).
Agaricales	Polyporaceae	<i>Trametes sycamori</i>	Isolated from rhizosphere, Madras.
Moniliales	Moniliaceae	<i>Trichoderma album</i>	On <i>Dactuloclaadium aegyptium</i> ,
Moniliales	Dematiaceae	<i>Trichosporium vesiculosum</i>	see <i>Neovossia horrida</i> .
Basidiomycetes.	Moniliaceae	<i>Trochophora simplex</i>	On leaves of <i>Daphniphyllum</i>
Moniliales	Moniliaceae	<i>Trochophora Trogia</i>	On leaflets of <i>Pterolobium indicum</i> ,
Agaricales		<i>Tubaria pentstemonis</i>	In ovaries of <i>Sorghum vulgare</i> , throughout
Agaricales		<i>Tubaria dispersa</i>	In ovaries of <i>Pennisetum typhoides</i> ,
Moniliales	Tubulariaceae	<i>Tuberculina persicina</i>	on dead stem of <i>Jasminum</i> sp., Madras;
Basidiomycetes.			S.India (77:1126).
			From soil, Madras (219).
			Tirunelveli and Tiruvananallur S.Arcot
			On <i>Daphniphyllum neilgherrense</i> ,
			Nilgiris and Kodaikanal (64:76 as
			see <i>Pleurotus belangeri</i> .
			On fallen twig, solitary, Four Roads,
			On ground, in groups, Deer Park, Guindy,
			On aecia of <i>Aecidium pavettae</i> , A sp., on

Dothideales		<i>Uleodothis coonoorensis</i>	On leaves of Phoenix sp., Coonoor
Moniliales	Dematiaceae.	<i>Umbellula terrestris</i>	On dead stems, Coonoor, Nilgiris
Erysiphales	Erysiphaceae	<i>Uncinula fici- naervosae</i>	Kodaikanal.
Erysiphales	Erysiphaceae	<i>Uncinula garugae</i>	Manchur, Kodaikanal.
Erysiphales	Erysiphaceae	<i>Uncinula tectonae</i>	Thudiyalur, Coimbatore.
Uredinales		<i>Uraecium nothopegiae</i>	On leaves of Nothopergia sp., Naduvattam
Uredinales	Melampsoraceae	<i>Uredinopsis macrosperma</i>	On leaves of Pteridium aquilinum,
Uredinales		<i>Uredo acalyphae fruticosae</i>	On leaves of Acalypha fruticosa, Kallar
Uredinales		<i>Uredo amomi</i>	On leaves of Amomum sp., Valparai,
Uredinales		<i>Uredo artocarpi</i>	On leaves of Artocarpus integrifolia,
Uredinales		<i>Uredo brachylepisae</i>	On leaves of Brachylepis nervosa, Burliar,
Uredinales		<i>Uredo celastri paniculati</i>	On leaves of Celastrus paniculatus Burliar
Uredinales		<i>Uredo colebrookiana</i>	On leaves of Colebrookia oppositifolia,
Uredinales		<i>Uredo emeliae - scabrae</i>	On leaves of Emelia scabra, Burliar
Uredinales		<i>Uredo hyperici - mysorensis</i>	On leaves of Hypericum mysorenensis,
Uredinales		<i>Uredo neilgherriensis</i>	On leaves of Parthenocissus
Uredinales		<i>Uredo pileae</i>	On leaves of Pilea trinervia, Burliar,
Uredinales		<i>Uredo pouzolziae</i>	On leaves of Pouzolzia pentandra,
Uredinales		<i>Uredo ravennae</i>	On leaves of Erianthus arundinaceus,
Uredinales		<i>Uredo rhinacanthi</i>	On leaves of Rhinacanthus communis,
Uredinales		<i>Uredo schuteriae</i>	On leaves of Schuteria vestita, Kodaikanal
Uredinales		<i>Uredo tectoriae</i>	see Chaconia tectoriae.
Uredinales	Pucciniaceae	<i>Uromyces acori</i>	see U. spargani.
Uredinales	Pucciniaceae	<i>Uromyces aloes</i>	On leaves of Aloe spicata, Coimbatore
Uredinales	Pucciniaceae	<i>Uromyces amphilophis-insculptae</i>	On leaves of Amphilophis insculpta,
Uredinales	Pucciniaceae	<i>Uromyces andropogonis-annulati</i>	On leaves of Dichanthium annulatum, ,
Uredinales	Pucciniaceae	<i>Uromyces anotis-monospermae</i>	On leaves of Anotis monosperma,
Uredinales	Pucciniaceae	<i>Uromyces appendiculatus</i>	On leaves of Vigna catjang phaseolus sp.,
Uredinales	Pucciniaceae	<i>Uromyces aulicus</i>	P. mungo, var radiatus, and Dolichos lab-
Uredinales	Pucciniaceae	<i>Uromyces bidentis</i>	see Scopella aulica.
Uredinales	Pucciniaceae	<i>Uromyces clignyi</i>	On leaves of Bidens pilosa, Nilgiris,
Uredinales	Pucciniaceae	<i>Uromyces commeliniae</i>	On leaves of Eremopogon foveolatus
Uredinales	Pucciniaceae	<i>Uromyces decoratus</i>	On leaves of Commelina C. obliqua,
Uredinales	Pucciniaceae	<i>Uromyces fabae</i>	On leaves of Crotalaria juncea, Samalkota
Uredinales	Pucciniaceae	<i>Uromyces leptodermus</i>	On Vicia faba, Nilgiris (151:93).
Uredinales	Pucciniaceae	<i>Uromyces loculiformis</i>	On leaves of Panicum javanicum, Nilgiris
Uredinales	Pucciniaceae	<i>Uromyces minusops</i>	On leaves of Chlorophytum attenuatum,
Uredinales	Pucciniaceae	<i>Uromyces nilagiricus</i>	see Scopella mimusops.
Uredinales	Pucciniaceae	<i>Uromyces orthosiphonis</i>	On leaves of Loranthus sp. Kotagiri on
Uredinales	Pucciniaceae	<i>Uromyces piauthyensis</i>	On leaves of Orthosiphon glabratius,
Uredinales	Pucciniaceae	<i>Uromyces sparganii</i>	On leaves of Wedelia urticaefolia, Perur,
Uredinales	Pucciniaceae	<i>Uromyces sparganii</i>	On leaves of Acorus calamus,
Uredinales	Pucciniaceae	<i>Uromyces sojae</i>	On leaves of Glycine max, Palur
Uredinales	Pucciniaceae	<i>Uromyces triandrae</i>	On leaves of Themeda triandra, Burliar,
Uredinales	Pucciniaceae	<i>Uromyces wellingtonica</i>	On leaves of Sporobolus indicus,
Moniliales	Dematiaceae	<i>Ustilagoidea virens</i>	In the inflorescence of Oryza sativa,
Ustilaginales	Ustilaginaceae	<i>Ustilago andropogoni-annulati</i>	see Sphacelotheca andropogoni-annulati.
Ustilaginales	Ustilaginaceae	<i>Ustilago barberi</i>	see Sorosporium barberi.
Ustilaginales	Ustilaginaceae	<i>Ustilago courtoisi</i>	On Saccharum arundinaceum Bolampatti
Ustilaginales	Ustilaginaceae	<i>Ustilago crameri</i>	On ovaries of Setaria italica, Madras

Ustilaginales	Ustilaginaceae	<i>Ustilago cynodontis</i>	In inflorescence of <i>Cynodon dactylon</i> , see (<i>Sorosporium digitariae</i>). see <i>Melanopsichium emodensis</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago digitariae</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago emodensis</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago flagellata</i>	In ovaries of <i>Rottboellia exaltata</i> , see <i>Sphacelotheca iseiliimatis</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago iseiliimatis</i>	see <i>Sorosporium nardi</i> . see <i>Sphacelotheca operta</i> . see <i>U.neglecta</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago nardi</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago operta</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago panic-glauci</i>	In ovaries of <i>Tragus biflorus</i> , Coimbatore
Ustilaginales	Ustilaginaceae	<i>Ustilago panjabensis</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago panjabensis</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago schoenanthi</i>	see <i>Sphacelotheca schoenanthi</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago scitaminea</i>	In culms of <i>Saccharum officinarum</i> ,
Ustilaginales	Ustilaginaceae	<i>Ustilago shiriana</i>	On shoots of <i>Arundinaria wightiana</i> ,
Ustilaginales	Ustilaginaceae	<i>Ustilago sporoboli tremuli</i>	In culms of <i>Sporobolus tremulus</i> , see <i>Sphacelotheca superflua</i>
Ustilaginales	Ustilaginaceae	<i>Ustilago superflua</i>	see <i>Sphacelotheca tanglinensis</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago tanglinensis</i>	
Ustilaginales	Ustilaginaceae	<i>Ustilago tragana</i>	see <i>U.panjabensis</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago tritici</i>	In ovaries of <i>Triticum vulgare</i> Nilgiris
Ustilaginales	Ustilaginaceae	<i>Ustilago vittata</i>	see <i>Tilletia vittata</i> .
Ustilaginales	Ustilaginaceae	<i>Ustilago warneckiana</i>	see <i>Sphacelotheca monilifera</i> .
Moniliales	Dematiaceae	<i>Vakrabeeja sigmoidea</i>	Recorded as <i>Sclerotium oryzae</i> Cattaneo in BB: 149. Mundkur (1935, Indian J.
Sphaeriales		<i>Venturia inaequalis</i>	On apple causing apple scab in Nilgiri
Moniliales	Moniliaceae	<i>Verticillium glaucum</i>	From soil, Madras (219).
Sphaeriales		<i>Vestergrenia achyranthes</i>	On leaves of <i>Achyranthes aspera</i> ,
Sphaeriales		<i>Vestergrenia heterostemmae</i>	On leaves of <i>Heterostemma tanjorense</i> ,
Sphaeriales		<i>Vestergrenia micheliae</i>	On leaves of <i>Michelia nilagirica</i> and M.
Agaricales,		<i>Volvariella parvula</i>	On ground, Madras University Botany
Agaricales,		<i>Volvariella volvacea</i>	Field Research Laboratory, Maduravoyal,
Moniliales	Tuberculariaceae.	<i>Volutina concentrica</i>	On paddy straw, Madras University
Aphyllophorales		<i>Waitea circinata</i>	On straw (Madras) (184:42).
Moniliales	Tuberculariaceae	<i>Wiesneriomycetes javanicus</i>	On paddy, Coimbatore, Tamil Nadu
Moniliales	Tuberculariaceae	<i>Wiesneriomycetes umbilicata</i>	On dead leaves of <i>Caesalpinia</i>
Uredinales	Pucciniaceae	<i>Xenostelete indica</i>	On leaves, stems and pods of <i>Cajanus</i>
Uredinales	Pucciniaceae	<i>Xenostelete neolitsea</i>	On leaves of <i>Neolitsea zeylanica</i> , see <i>X. indica</i> .
Agaricales	Polyporaceae	<i>Xerotus perrottetii</i>	On branches near Ootacamund (94:151).
Sphaeriales		<i>Xylaria emeric</i>	On the ground Nilgiris (39:86)
Sphaeriales		<i>Xylaria salmonicolor</i>	on wood, Nilgiris (39:87)
Moniliales	Dematiaceae	<i>Zygosporium oscheoides</i>	On dead leaves of <i>Musa paradisiaca</i> and rotting leaves of <i>Odina wodier</i> , Madras;

li hills

ial, Tamilnadu, Nov.1987: ON DAED FRUITS OF *Theobroma cacao* L.Madras, Tamilnadu, Jan.1988: on petiole of *Carica papaya* L.Madras, Tamilnadu, May 1988: on leaves of *Dracaena temiflora* Roxb. I

nechrantha, *Neolitsea scrobiculata* and unidentified leaf litter from Kolli hills

nary. IC.NO.114.

Madras, Tamilnadu, July 1988: on Phyllode of cactus indicus Roxb. Madras, Tamilnadu, Sep. 1988: on dead twigs of Pedilanthus tithymaloides poit.,Madras, Nov.1988: on dead leaves of Ficus bengalensis

L.Madras, Tamilnadu,1988: on dead fruit of *Cocos nucifera*, L.Madras, Feb.1989